


HOMŒOPATHIC THERAPEUTICS  
OF  
HÆMORRHOIDS.

BY

WM. JEFFERSON GUERNSEY, M.D.

✦ Harvard Medical Library  
in the Francis A. Countway  
Library of Medicine ~ Boston


VERITATEM PER MEDICINAM QUÆRAMUS





Wm J. Hopkins.

December 1893.



Digitized by the Internet Archive  
in 2010 with funding from  
Open Knowledge Commons and Harvard Medical School

THE  
HOMŒOPATHIC THERAPEUTICS  
OF  
HÆMORRHOIDS.

BY  
WM. JEFFERSON GUERNSEY, M.D.

---

*SECOND EDITION.*

---

PHILADELPHIA :  
BOERICKE & TAFEL.  
1892.

---

Copyright, 1892,  
By BOERICKE & TAFEL.

---



## P R E F A C E.

---

PATHOLOGY is not within the scope of this work: but that method of therapeutics which will produce a cure in the surest and easiest manner, with absolute safety to the patient, shall claim our attention.

As Homœopaths we believe that our tenets are based upon a law of nature and that we are the possessors of the only positive *system* of cure in existence. That it is so true in its action; so universal in its application; that it alone meets all the requirements for general practice; as it should be *able* to cure all curable ailments and must be the *best* treatment for the disease in question.

But it is, alas, so easy to diverge from this great law of cure, and to resort to empiricism; to "lay that flattering unction to your soul" that our provings are yet incomplete, and that the meagre Materia Medica of to-day does not warrant a rigid reliance upon principle.

Indeed one hardly realizes the magnitude of the fund of medical provings until he begins to collate from it matter bearing directly upon some one disease. And it is to present, in a convenient and accessible manner the HOMŒOPATHIC THERAPEUTICS OF HÆMORRHOIDS that the following pages will be devoted. And the writer begs to repeat with emphasis what he intimated in the First Edition, ten years ago, that we *have* proven remedies enough to easily, surely and safely restore to health all patients suffering with uncomplicated piles. And, indeed, the complicated cases should not be too quickly turned over to the surgeon, simply because they are such. Fissure is one of these; and when we consider the curability of rha-gades elsewhere, and of healing ulcers where the excavation has been deep and the loss of tissue considerable, we should renew the search for the Homœopathic remedy with very great hope of success.

Fistula, however, is less promising, but the writer would not, personally, permit operative treatment in the face of statistics which show a possibility of pulmonic sequelæ.

Prolapsus requires the internal remedy alone.

But cancer! The less said of any treatment for it, the better for our pride. Syphilitic complications do not disturb this locality more seriously than elsewhere, and are remediable.

It has aptly been said that "taking the case is half the cure," and lack of discrimination is often responsible for therapeutic failures. Hahnemann never made a truer observation than when he referred to the importance of noting *peculiar* symptoms; and when a sensation exists which seems inconsistent with the associated condition, the Homœopathician at once recognizes its importance. Why, for instance, should the act of micturition affect hæmorrhoids? Yet the symptom has been complained of not infrequently, and *Baryta carbonica*, and several other remedies, have it; and the writer has cured piles that protruded only on urinating, with the drug named; which medicine he would probably not have thought of but for this odd indication. The subjective symptoms, and the conditions of aggravation and amelioration are of more importance than the objective indications.

The practitioner must have sole control of the case or he cannot hope for success; and let him emphatically proscribe all meddling with the "sure cures" of sympathizing friends. Anointing the piles with "cold cream" is advisable, as the mucous membrane so soon becomes dry, and therefore in a condition to be readily irritated.

The use of unmedicated glycerine suppositories will sometimes aid difficult defecation; and a clyster of warm water is often salutary.

In difficult cases, where strangulation is imminent, a horizontal position should be enjoined. But let not the incredulous physician take fright; the indicated internal remedy has lessened inflammation and promoted relaxation and resolution, and can do it again.

Remember, that the "totality of symptoms," does not refer to the drug, but to the patient; and that it must not be expected that a case will present *all* the symptoms of any medicine; on the other hand the remedy should contain all the prominent indications of the patient.

As in all troubles, a certain number of remedies are found to be indicated oftener than others; but the limit of application must not be drawn about them, or we cease to be Homœopaths. With this precautionary injunction however, it is best to call attention to what may not inaptly be called the "big four" list which comprises *Æsculus*, *Aloes*, *Muriatic acid* and *Sulphur*; and it is really astonishing what they will accomplish. Study them carefully in cases that seem devoid of "characteristics" and especially look to the respective remedies when the following symptoms are present: *Æsculus* in cases where back-ache is prominent. *Aloes* when itching is the most troublesome symptom. *Muriatic acid* when tenderness is excessive. And *Sulphur* in cases that have been maltreated with ointments.

The question of potency is a delicate one which will be but lightly touched upon. The reader will not, let us trust, take offence if his attention is called to the fact that all "high potency" advocates agree in declaring that the disease can be cured by the internal remedy alone; and are willing to admit that "low potencies" may answer the purpose, while those who rely solely upon the latter for general practice, will often resort to topical measures for this disease.

Aggravation and amelioration *in general*, as found in other repertories, should be consulted if need be to confirm the selection of the remedy.

Concomitant symptoms are of importance in choosing the medicine, especially if they contain a peculiar or important symptom; and the search for these must not be confined to the meagre collection here given.

Some of the symptoms have not, by any means, the number of remedies attached that belong to them, for the obvious reason that the provers might easily have failed to mention them; such for instance are "external," "soft," and "small," and others of a negative character.

Reference should be made to what may be considered innovations. It is immaterial to the prescriber whether the sensations complained of are recorded by provers as having been produced at the anus, or in the varicose tumors there; and while the latter only were given in the first edition, they are both combined in the present arrangement, thereby enhancing the utility of the work.

Remedies occurring under names that appeared synonymous are also brought together under one name which fairly well represents the symptom. Too much attention is sometimes paid to the *exact* wording when we forget that ours is a law of "*similars*" and not one of sameness. For instance, it does not matter whether the drug has produced a sensation of warmth, heat, burning, or scalding; the similarity is apparent and the difference is one of degree rather than of kind. This scheme will not only obviate the unpleasant task of searching through several synonymous names, but will be of great use to the student who desires to make additions to the text.

The advisability of having books of this sort interleaved is inestimable, not only because it greatly increases the usefulness of the work by encouraging additions thereto, but because by so doing only can the studious physician enrich his knowledge of the remedies, and familiarize himself with the strength and weakness of these his silent but faithful servants.

WM. JEFFERSON GUERNSEY, M.D.

FRANKFORD, PHILADELPHIA.

# THE REMEDIES

AND

## THEIR INDICATIONS.

---

**Abrot.**

**ABROTANUM.**

**Southernwood.**

**Subjective.**

Burning, < touch.  
Tenesmus, frequent straining.

**Objective.**

External, protruding.

**Aggravation.**

Rheumatism abates, as the.  
Touch (burning).

**Concomitant.**

Ravenous appetite, yet losing flesh all the while.  
Sensation as if stomach was hanging or swimming in water.

Hæmorrhoidal colic.

Atrophy; the skin is flabby.

Undigested stool.

Rheumatism after suddenly checked diarrhœa, and as the rheumatism abates the piles become troublesome.

Stools feel as though large and hard, though quite the reverse.

Acon.

ACONITUM NAPELLUS.

Monkshood.

**Subjective.**

Aching, painful.

*Burning*, heat, as from a warm fluid escaping.*Cutting*, shootings.

Fulness, pressure.

Heaviness.

Itching.

*Numbness*.

Squeezing, painful contracting sensation in anus.

Stinging, stitches.

Tenesmus, urging to stool.

**Objective.****Bleeding**, bright blood from anus.

Discharge.

*Inflamed*, congested.**Aggravation.**

Cold, from having a.

Suppressed sweat.

**Concomitant.**

Very much fear and inconsolable anxiety about the ailment; is made miserable by it; is alarmed and dreads too much activity about him; is sure that no relief can be had; that his complaint will prove fatal.

Restless.

Great irritation of the nervous system.

Chilly if uncovered or touched.

Dry heat with thirst.

Bad effects of suppressed sweat; from colds, or fright.

Acute sensitiveness to pain associated with numbness and tingling in extremities.

Hæmatemesis.

Hæmaturia with piles.

Acet. ac.

ACIDUM ACETICUM.

Acetic acid.

**Objective.**

Bleeding.

**Aggravation.**

Suppressed metrorrhagia.

**Concomitant.**

Insatiable thirst.

Passes large quantities of pale urine day and night.

Pain in the back only relieved by lying on the abdomen.

Œdema with diarrhœa.

Night sweats.

Waxy skin,

Emaciation.

**Escul.**

**ESCULUS HIPPOCASTANUM.** Horse-chestnut.

**Subjective.**

**Aching**, painful.

**Burning**, < after stool. **Heat.**

Cutting, knife-like pains, shooting up the rectum, < after stool.

**Dryness.**

Extending upward, cutting.

**Fulness**, < after walking, as if the folds of mucous membrane obstructed the passage.

**Heaviness, Pressure.** As if the rectum would protrude on straining at stool. Prolapsed feeling after stool.

**Itching**, in rectum.

Smarting, rawness.

**Soreness.**

Squeezing, constriction.

**Sticking**, as if anus was full of small sticks.

**Tenesmus**, urging to stool. Bearing down.

**Objective.**

Bleeding, slight bleeding.

*Blind*, seldom bleeding.

**Bluish, purple color.**

**Chronic.**

Dark.

**External.**

Fissure.

**Large**, as large as ground-nuts.

Prolapsus, the rectum comes down after stool.

**Aggravation.***Night.***Stool, after.** (Burning, cutting, heaviness. Pro-lapsus).

Stool, straining at (heaviness).

**Walking, after** (fulness).**Amelioration.**

Kneeling.

**Concomitant.**

Dull backache, especially in lumbo-sacral region affecting sacrum and hips; a lame feeling; &lt; stooping forward and &lt; walking; the back gives out when walking; must sit or lie down.

Mucous membranes of mouth, throat and rectum, feel dry and raw.

Fulness in region of liver.

Hawks up ropy mucus of a sweetish taste. Follicular pharyngitis.

**Æthus.****ÆTHUSA CYNAPIUM.****Fool's Parsley.****Subjective.**

Smarting, excoriated feeling.

Tenesmus.

**Objective.**

Bluish.

**Concomitant.**

Expression of anxiety, with well-marked linea nasalia.

Cannot bear milk in any form; it is vomited as soon as taken, in large curds, followed by weakness and drowsiness.

**Agar.****AGARICUS MUSCARIUS.****Toadstool.****Subjective.**

Aching, painful.

**Burning.**

Crawling.

Dryness.



Fulness.  
 Heaviness.  
 Itching.  
 Prickling.  
 Stinging.  
 Tickling.

**Objective.**

Constriction of anus, sphincter contracted.  
 Eruption.  
 Inflamed.  
 Large, swollen.  
 Sweat of anus.

**Concomitant.**

Persons who have old chilblains that itch and burn intolerably.  
 Headaches when the pain extends into the root of the nose; in those who are subject to chorea; dull pain in head compelling her to close the eyes and move the head constantly to and fro.  
 After sexual debauches.  
 Painfulness along the spine when stooping; "crick in the back."  
 Trembling of hands.

Agnus.

AGNUS CASTUS.

Chaste Tree.

**Subjective.**

Soreness, sore feeling under the skin, near the anus, when walking.

**Objective.**

Fissure, deep rhagades.

**Aggravation.**

Walking (soreness).

**Concomitant.**

Complains of an imaginary odor before the nose as of herrings or musk.  
 Penis so relaxed that voluptuous fancies excite no erection; testes cold; impotence.  
 Bad effects from suppressed gonorrhœa.  
 Deficient secretion of milk in lying-in-women.

Alco.

ALCOHOL.

Spirit of Wine.

**Objective.**

Bleeding.

**Concomitant.**

Apprehensive and impatient ; dull mental faculties.

Eyes injected, and face has a besotted look.

Redness of cheeks and of nose, especially the tip ; red pimples and tubercles.

Trembling of arms and hands.

In persons addicted to the abuse of alcoholic drink, or having a craving for it (use only high).

Aloe.

ALOE SOCOTRINA.

Aloes.

**Subjective.***Aching*, painful.**Burning heat**, > by applying cold water, < during stool, < after stool, preventing sleep, after passing flatus.

Crawling.

Cutting, &lt; after stool.

Extending to abdomen, stinging.

Extending to back, stinging.

**Fulness.****Heaviness**, of rectum, < after stool, dragging down, during menses, pressing out.**Itching**, < morning, preventing sleep, < afternoon, < evening.

Lump, sensation as of a plug wedged in between symphysis pubis and os coccygis.

Open, as if, loose sensation in anus.

**Paralysis**, as of, loss of power of sphincter, **feeling as if stool would escape**, < **passing flatus**, < **voiding urine**, even a hard stool falls out unnoticed.

Smarting, &lt; during rest, excoriated sensation.

**Soreness**, < during the day, < **wiping anus**, < drawing in anus.

Sticking, &lt; after stool.

Stinging, &lt; evening, extending to abdomen, extending to back.

**Tenesmus**, urging to stool, < on waking in morning, < at night, < **after eating**, < on rising from lying, waking him up in the morning. **As if there was more stool to come after defecation**, constant bearing down, < during stool, sensation as though a diarrhœic stool would occur when urinating.  
Throbbing, after eating.

### Objective.

Bleeding.

*Chronic.*

Constriction of anus, sphincter contracted.

*Discharge.*

**External**, < **after stool**, *Protruding.*

Fistula.

**Large**, *like a bunch of grapes*, **swollen**, < in daytime.

Paralysis, weakness of sphincter so that cleanliness was difficult.

Soft.

**Strangulated.**

### Aggravation.

Afternoon (itching).

*Day* (large, soreness).

Eating, after (**tenesmus**, throbbing).

*Evening* (itching, stinging).

Flatus, emission of, after (burning).

Flatus, emission of, during (**paralysis, as of**).

*Malt liquors.*

Menses, during (heaviness).

Micturition, during (tenesmus, **paralysis, as of**).

Morning (itching).

Morning, wake, from sleep, causing him to (tenesmus).

Morning, waking, on (tenesmus).

Night (tenesmus).

Rest, during (smarting).

Retracting anus (soreness).

Rising from lying (tenesmus).

**Stool, after** (burning, **external, tenesmus**, cutting, sticking, heaviness).

Stool, during (burning, tenesmus).

*Stool, hard after a.*

**Wiping**, after stool (soreness).

**Amelioration.***Bathing, cold* (burning).

Bleeding copiously.

**Concomitant.**

Disinclined for mental labor.

Is dissatisfied, and is angry about his complaint.

Frontal headache which compels him to make the eyes small.

Lumps of mucus like jelly-fish, hawked from the throat or discharged with the stool.

**Alum.****ALUMINA.****Pure clay.****Subjective.**

Aching, painful.

Burning, &lt; evening.

Cutting, &lt; during stool.

Fulness, &lt; blowing nose, pressure.

Itching.

Soreness, &lt; after bleeding, &lt; after stool.

Squeezing, sensation as if the anus was too narrow during stool.

Stinging.

Tenesmus, urging in rectum, &lt; on urinating.

**Objective.**

Bleeding, clots of blood. A jet of blood from rectum after stool. Dark blood.

Constriction, &lt; during stool.

*Discharge*, moisture, < evening.

External, &gt; after a night's rest, &lt; walking.

Fistula.

Internal, &lt; walking.

Large, swollen, &lt; evening.

Paralysis, inactivity of rectum, difficult to expel even a small stool.

Sweat (at anus).

**Aggravation.**

Bleeding, after (soreness).

Blowing nose (fulness).

*Evening* (burning, discharge, large).

Stool, after (bleeding, soreness).

Stool, during (cutting, squeezing, constriction).  
Walking (internal, external).

### Amelioration.

Morning.  
Sleep, after (external).

### Concomitant.

Inactivity of the rectum; no desire for stool and no ability to pass stool; even if it is soft it requires great staining.  
Stools hard and knotty like sheep's-dung or laurel berries.  
Pain in back, and in small of back, as if beaten.  
Great heaviness of lower limbs; can hardly drag them along and must sit down.  
Intolerable itching of the whole body when getting warm in bed.  
The same sensation of the anus that is described under "squeezing" is experienced in the œsophagus where the food is felt, when swallowing, until it reaches the stomach.  
Has to strain at stool in order to urinate.  
Useful with painters on account of its antidotal relation to lead.  
Leucorrhœa which is acrid and profuse, running down to the heels; < during the day-time; > by cold bathing.

Ambr.

AMBRA GRISEA.

Ambergris.

### Subjective.

Crawling.  
*Itching.*  
Smarting.  
Soreness.  
Stinging, stitches.  
Tenesmus, frequent *ineffectual* urging to stool.

### Objective.

Bleeding, large flow of blood with stool.

### Aggravation.

Stool, during (bleeding).

**Concomitant.**

The presence of others is unbearable during stool.

Sensation of coldness in the abdomen.

Ranula with fetid breath.

Metrorrhagia at every little accident, long walk, hard stool, etc.

Am. bro.

**AMMONIUM BROMIDUM.**

**Bromide of  
Ammonium.**

**Subjective.**

Soreness.

Tenesmus, sudden urging.

**Objective.**

Chronic, old cases.

Indurated.

**Concomitant.**

When walking has to hold the mouth open on account of heat in throat and lungs.

Swallowing anything cold causes a distress the entire length of œsophagus and into the stomach.

Am. carb.

**AMMONIUM CARBONICUM.**

**Smelling salts.**

**Subjective.**

**Aching**, painful < *after stool* for a long time.

Burning, preventing sleep, in rectum, < at night.

*Itching*, of anus.

Long lasting, aching.

Smarting, as if excoriated.

Tenesmus, < night.

**Objective.**

Bleeding, < during stool.

Bloody discharge, before, during and after stool.

Discharge, moisture, bloody.

Eruption.

Excoriation.

*External*, protruding of hæmorrhoids independent of stool, < after stool; protrude *during stool* but recede on lying down.

**Aggravation.**

Menses, during.

Night (burning, tenesmus).

*Stool after* (external, *aching*, bleeding).

*Stool*, before (bleeding).

*Stool, during* (bleeding, external).

**Amelioration:**

Lying (external).

Lying, back, on the.

**Concomitant.**

Stool difficult on account of hardness of fæces.

Must rise at night on account of the burning of anus, and the tenesmus.

Stoppage of the nose, especially at night; can only breathe through the mouth.

Epistaxis on washing the face in morning.

Women who are delicate and must have the "smelling-bottle" all the time.

Loss of power in the right arm, with great heaviness as if it weighed a hundred pounds.

**Am. mur.**

**AMMONIUM MURIATICUM.**

**Sal ammoniac.**

**Subjective.**

Aching.

Burning, during stool, after stool; for hours after stool.

Itching, in rectum.

Long lasting, burning.

Smarting, after suppressed leucorrhœa.

Soreness of rectum; after suppressed leucorrhœa.

Stinging.

Throbbing.

**Objective.**

Bleeding.

Eruption, pustules at side of anus.

**Aggravation.**

Leucorrhœa suppressed (smarting, soreness).

*Stool*, after (burning).

*Stool*, during (burning).

**Concomitant.**

Hard, crumbling stools, requiring great effort to expel them.

Sensation in the chest as if a swallowed morsel had lodged there.

Hamstrings feel painfully short when walking; with real contraction there.

The body is large and fat, while the legs are too thin ("like a pumpkin on bean poles").

Anac.

**ANACARDIUM ORIENTALE.** Marking Nut.

**Subjective.**

*Aching, painful.*

Lump, sensation as of a plug.

Itching.

Tenesmus, urgent desire, ineffectual.

**Objective.**

Discharge, moisture.

Bleeding, profuse and frequent hæmorrhage when at stool.

External.

**Aggravation.**

Stool, during (bleeding).

**Concomitant.**

Great desire for stool, but with the effort the desire ceases without evacuation.

Sudden loss of memory; everything appears as in a dream; patient is much troubled about his forgetfulness.

Malicious disposition.

Irresistible desire to curse and swear.

Lack of confidence in himself and others.

Weakness of all the senses (sight, hearing, smell, taste).

Sensations; as of a hoop or band around a part; or as of a dull, blunt instrument pressing.



Angust.                    **ANGUSTURÆ CORTEX.**    Cusparia Bark.

**Subjective.**

Boring.  
Burning.  
Heaviness.

**Objective.**

Constriction of sphincter.  
Large, swollen, < during stool.  
*External*, < during stool.

**Aggravation.**

Stool during (large external).

**Concomitant.**

Marked tension of the temporal muscles in opening the mouth.  
Irresistible craving for coffee.  
Caries and very painful ulcers, which affect the bones and pierce them to the marrow.

Ant. c.                    **ANTIMONIUM CRUDUM.**    Black (crude) Ant.

**Subjective.**

Aching, pain in rectum during stool.  
*Burning*, < night.  
Crawling, < evening.  
Heaviness.  
Itching.  
Scraping, rasping.  
Smarting.  
Soreness, as if an ulcer had been torn open.  
Sticking, pricking.  
Tingling.

**Objective.**

*Bleeding*, profuse with stool, black blood.  
Blind.  
*Discharge*, oozing of ichor sometimes; continuous mucous discharge, staining yellow; *mucus*, pus.  
Eruption.  
*External*.  
Fissure.  
Fistula.  
Prolapsus, < during stool.

**Aggravation.**

Evening (crawling).

Night (burning).

Stool, during (aching, bleeding, prolapsus).

**Concomitant.**

Alternate constipation and diarrhœa.

Old people with morning diarrhœa.

Gastric complaints from over-eating; stomach weak and easily disturbed; thick white coating on the tongue; very subject to canker sores in the mouth.

Fretful; can't bear to be touched or looked at.

Large, horny corns on soles of feet, very sensitive on walking.

Aversion to bathing, and is aggravated by it.

Horn-like excrescences, and abnormal growths in the skin; finger nails do not grow as rapidly, and if crushed they grow in splits.

**Apis.**

**APIS MELLIFICA.**

**Honey Bee.**

**Subjective.**

*Burning*, > cold applications, *burning-stinging*.

Fulness, as if stuffed.

Open, as if; as if the anus were constantly open.

*Smarting*, rawness.

Soreness.

*Stinging*, stinging-burning.

Tenesmus, constant bearing down; urging to stool < every motion of body.

Throbbing, in rectum.

**Objective.**

Bleeding, dark blood.

Discharge, oozing.

External, protruding.

Prolapsus.

Small.

Swollen anus.

**Aggravation.**

*Diarrhœa*, during.

Motion (tenesmus).

**Amelioration.**

Bathing, cold (burning).

**Concomitant.**

The smarting, burning and stinging at anus, make him very irritable.

Sensation in abdomen as if something tight would break when voiding stool, during constipation.

Enlargement of right ovary, and pain in left pectoral region with cough.

Irritable and fidgety.

Has stool with every motion of the body as if anus were constantly open.

Awkwardness of the patient, which is not a customary fault.

The brain feels tired.

Vertigo on lying down and closing the eyes.

Urine scanty and dark.

Menstruation suppressed with congestion to head.

Œdematous swelling of the eyelids; and of the hands and feet; dropsy with complete absence of thirst.

Erysipelatous inflammation.

Apoc.

**APOCYNUM CANNABINUM.** Indian Hemp.

**Subjective.**

Lump, as of a.

Open, as if.

**Objective.**

External.

Inflamed.

Prolapsus after stool.

**Aggravation.**

Stool, after (prolapsus).

**Concomitant.**

Excretions diminished.

Dropsy with great thirst, but water disagrees.

Oppression of the chest; can hardly get breath enough to speak.

**Arg. Nit.****ARGENTUM NITRICUM. Lunar Caustic.****Subjective.**

Itching.

Tenesmus, urging to stool from mental excitement.

**Objective.**

Inflammation.

**Aggravation.**

Mental excitement (tenesmus).

**Concomitant.**

Impulsive; walks fast; time seems to pass very slowly.

Feels as if a cloud hung over him; despondent; apprehensive.

Large quantities of wind generate immediately after meals; stomach feels as if full; belching is difficult, but finally the air rushes out with violence.

Diarrhoea from excitement of preparing for church, theatre, or to meet an engagement.

Feels better in the open air; craves the wind blowing in his face.

Lassitude; weakness of legs.

Sensation as of a splinter sticking in various parts.

Thick, tenacious mucus in the throat.

**Arn.****ARNICA MONTANA. Leopard's-bane.****Subjective.**

Cutting.

Heaviness.

Soreness.

Tenesmus.

**Objective.**

External.

Internal.

Large, swollen.

Paralysis (of sphincter).

**Concomitants.**

The patient may be suffering from some other ailment induced by a concussion or contusion, even if the injury was received years ago.

Soreness as from a bruise, in various parts ; fears being struck by any one approaching ; anything lain on feels as hard as a board.

Tendency to small boils, one after another.

Eructations tasting like rotten eggs.

Petechiæ ; ecchymoses.

Ars.

ARSENICUM ALBUM.

White Arsenic.

### Subjective.

*Aching*, painful.

**Burning**, burning like fire, < night, > by heat, as from hot needles, burning-stinging, < **during stool**, < *after stool*.

*Cutting*, *shootings*.

Extending downward, stinging.

Fulness.

Itching.

Painless.

Soreness.

**Stinging**, stinging pains during the day, particularly *when walking*, stitching pain when walking or sitting, extending downward.

Tenesmus, < during stool.

### Objective.

Bleeding, blood dark ; offensive.

Blind.

Discharge.

Excoriation.

External.

Fissure of anus.

Inflammation, redness.

**Internal.**

Large, swollen.

Paralysis of sphincter.

*Prolapsus ani*, < after stool.

Strangulated.

Suppressed, having been.

### Aggravation.

Alcoholic drinks.

Day, during the (stinging).

*Diarrhœa, during.*  
 Midnight, after.  
 Night (burning).  
 Sitting (stinging).  
*Stool, after (burning, prolapsus).*  
**Stool, during (burning, tenesmus).**  
 Suppressed, after being.  
 Walking (*stinging*).

### **Amelioration.**

Bathing, warm,  
 Heat (burning).  
 Sitting.

### **Concomitant.**

Great restlessness, anguish, and anxiety.  
 Debility.  
 Impossibility of voiding urine with fissure of anus.  
 Useful for drunkards; and in persons who have been  
     habitual tobacco chewers.  
 Sleep prevented by burning in the anus.  
 Cadaverous face; expression of anxiety.  
 Unquenchable thirst for frequent small sips of water.  
 Vomiting immediately after drinking or eating.  
 Asthmatic oppression of breathing.  
 Dropsical swelling, with waxy skin.  
 Burning in internal and external parts; as if hot water  
     was flowing through the bloodvessels, preventing  
     sleep.

**Aram.**

**ARUM TRIPHYLLUM, Indian Turnip.**

### **Subjective.**

Burning, in anus.  
 Tenesmus, painful urging; toward evening; during  
     stool; during sleep.

### **Objective.**

Fissure.

### **Aggravation.**

Evening, toward (tenesmus).  
 Sleep, during (tenesmus).  
 Stool, during (tenesmus).

**Concomitant.**

Retention of urine with fissure ani.

Raw, bloody surfaces (lips, buccal cavity, nose, back of ear, etc.) with disposition to pick at the places until they bleed.

Clergyman's sore throat; hoarseness from over-use of voice in talking or singing; < taking food.

**Aur.****AURUM METALLICUM.****Gold.****Subjective.**

Burning.

Stinging.

**Objective.**

Bleeding, < during stool.

Discharge of mucus; rectal catarrh.

External, < during stool.

Fistula.

**Aggravation.**

Stool, during (bleeding, external).

**Concomitant.**

Hæmorrhoids with rectal catarrh.

Hard, knotty or large stools.

Constipation < during menses.

Great nervous weakness.

Melancholy; suicidal; lack of confidence; despair.

Over-sensitive; least contradiction excites wrath; to pain; of smell, taste, hearing, etc.

Caries of the nasal, palative, and mastoid bones; pains; ozena; otorrhœa.

Bone pains < night, > heat.

Bad effects from mercury.

**Bapt.****BAPTISIA.****Wild Indigo.****Subjective.**

Retracted, as if action of rectum was.

**Objective.**

Bleeding.

Discharge, bloody mucus.

**Aggravation.**

Afternoon.

**Concomitant.**

Difficult comprehension.

General symptoms simulate a typhoid condition ;  
trembling weakness ; indescribable sick feeling all  
over ; restless sleep ; soreness of parts rested on, the  
bed feeling hard ; and chilliness at times.

**Bart.****BARTFELDER.****Water from  
Bartfelder Springs.****Subjective.**

Aching, painful &lt; walking.

Burning, &lt; during bath.

Crawling, in rectum.

**Objective.**

External, &lt; during stool, &lt; walking.

Strangulated, on walking.

**Aggravation.**

Bath, during (burning).

Stool, during (external).

Walking (aching, external, strangulated).

**Concomitant.**

Prostration ; so weak he can scarcely rise for sleepi-  
ness, in the forenoon ; yawning very much ; weak-  
ness of knees.

Hoarseness.

**Bary. cb.****BARYTA CARBONICA.****Carbonate of  
Barium.****Subjective.**

Aching, painful.

Burning.

Crawling, in rectum.

Cutting, shootings.

Heaviness.

Itching.

Smarting, felt about the anus as if excoriated.

*Stinging.*

Tenesmus, irresistible, sudden urging to stool.



**Objective.***Bleeding.**Discharge*, moist, < after stool.*Excoriation.**External*, < **during micturition**, < after stool, < during stool.**Aggravation.****Micturition**, during (**external**).

Stool, after (discharge, external).

Stool, during (external).

**Concomitant.**

Dwarfish people; mentally and physically weak.

Subject to quinsy; takes cold easily, and every little cold causes sore throat.

On swallowing food one has to labor hard to get it down into the stomach; it feels as though passing over sore places.

**Bell.****BELLADONNA.****Deadly Nightshade.****Subjective.***Cutting*, pains appear and disappear suddenly.

Fulness.

Heaviness, pressure in rectum toward anus.

Itching, violent itching.

*Sensitiveness*, < slightest **touch**; has to lie with the nates separated.

Squeezing, constrictive sensation.

Stinging.

Tenesmus, urging to stool, &lt; during stool, &lt; after stool.

Tickling, voluptuous tickling in lower part of rectum and in anus.

**Objective.***Bleeding*, decomposed blood.

Constriction, constricted sphincter, spasm of anus.

Discharge.

*Fistula.*

Paralysis of sphincter.

Prolapsus ani.

Strangulated, incarcerated from spasmodic constriction of sphincter ani.

Swollen anus, mucous membrane of anus swollen and pressed out.

### **Aggravation.**

Stool, after (tenesmus).

Stool, during (tenesmus).

**Touch** (sensitiveness).

### **Concomitant.**

Violent pain in the small of the back as if it would break; hindering motion.

Sleepy but cannot sleep.

Headaches; congestive, with red face, pulsation in brain, throbbing of carotids; < leaning head forward, or lying down, from slightest noise, motion or light; > bending head backward, sitting up and pressing the head with the hands; stupefying pain extending from the nape of the neck into head.

Great pressure in female genitals as though everything would protrude.

Quickness of sensations and motions; the eyes snap and move quickly and the pains come and go suddenly.

Aggravations of many pains by a noise or jar.

**Berb.**

**BERBERIS VULGARIS.**

**Common Barberry.**

### **Subjective.**

Aching, pain when touched.

**Burning**, < *after stool*.

*Crawling*.

Fulness.

*Itching*, < *after stool*.

Sensitiveness, < touch, < *sitting*.

**Soreness.**

Squeezing, pain in anus before stool as from constriction of rectum preventing stool.

Stinging.

Tearing.

Tenesmus before and after stool, frequent urging to stool.

Throbbing.

**Objective.**

Bleeding, with stool.  
 Eruption, herpes around anus.  
 External after stool.

**Fistula.****Aggravation.**

*Sitting (sensitiveness).*  
*Stool, after (Itching, burning, external, tenesmus).*  
*Stool, before (tenesmus).*  
*Stool, during (bleeding, squeezing).*  
*Touch (Sensitiveness).*

**Concomitant.**

Stool hard and covered with blood.  
 Stool looks like sheep dung; passed only after much straining.  
 Short cough, and chest complaints with fistula.  
 Pains in different parts emanating from the back; extends up the back, or down into the spermatic cords or testicles, bladder, buttocks or legs, lameness of back on rising from a seat, bubbling sensation in region of kidneys.

**Borax.****BORAX.****Borax.****Subjective.**

Itching.  
 Stinging.

**Objective.**

Bleeding.  
*Constriction of anus (stricture).*  
*Discharge (Moisture).*  
 Internal.

**Concomitant.**

Nervous; easily startled by slight noise, as of the snap of a match; dread of downward motion, and from it dislike of swinging, riding on horseback, or use of rocking chair.

The hair is frowzy and tangled; splits and sticks together; cannot be combed smooth; eye lashes turn inward and inflame the eye; tendency to "wild hairs."

Aphthous sore mouth.

' Bovis.

BOVISTA.

Puff-ball.

**Subjective.**

Burning, after stool.

Itching, as from worms.

Tenesmus, fruitless urging to stool.

**Aggravation.**

Stool, after (burning).

**Concomitant.**

Darting pain from the perinæum to rectum and to genitals.

Awkwardness, inclined to drop things.

Pains between the shoulders; has to "straighten up" to be relieved.

Intolerable itching at tip of os coccygis; must scratch until the parts become raw and sore.

Acts prominently on old maids; on stammering children; and "tettery" looking people.

Brom.

BROMIUM.

Bromine.

**Subjective.**

Aching, painful, &lt; during stool, &lt; washing, &lt; during diarrhœa.

Painless.

**Objective.**

Blind.

*External*, < *after stool*, < during stool.**Internal**, < during diarrhœa, < walking.

Soft.

**Aggravation.****Bathing** (aching).

Bathing, cold.

Bathing, warm.

**Diarrhœa**, during (aching, internal).*Stool*, *after* (*external*).

Stool, during, external.

**Walking** (internal).**Amelioration.**

Saliva, wetting with.

**Concomitant.**

Swelling and indurations of the glands.

Loud emission of flatus from the vagina.

Dyspnœa; cannot inspire deep enough; as if air-passages were full of smoke; hoarseness; cold sensation in larynx on inspiring.

**Bry.**

**BRYONIA ALBA.**

**Wild hops.**

**Subjective.**

Aching.

*Burning*, < evening.

Fulness.

Heaviness, sensation of pressure.

Lump.

Prickling.

*Soreness.*

Stinging.

Tenesmus, urging.

**Objective.**

Discharge.

External.

*Fistula.*

Large, swollen.

Retraction of anus.

**Aggravation.**

Evening (burning).

Malt liquors.

*Stool, during.*

*Stool, pasty, after.*

**Concomitant.**

Marked aggravation of nearly all troubles by motion, and corresponding relief from absolute rest; the patient cannot bear any disturbance, either mental or physical.

Headache as though the head would burst, on first opening the eyes in the morning, worse from motion.

Nausea on sitting up.

Vomiting of food as soon as eaten.

Stitching pains, in any part, aggravated by motion.

Lips dry and cracked ; mouth dry ; thirst for large quantities of water, but at long intervals.  
 Stools large, hard and dry as if burnt.  
 Ailments from cold drinks in warm weather, or from chilling off when overheated ; and from suppressed discharges of any kind.  
 Pressure, as from a stone, in the stomach, after eating ; makes him fretful.  
 Stitching pains in the chest, < inspiration, motion and coughing, > pressure.

**Cactus.**                      **CACTUS GRANDIFLORUS.**      **Night blooming cereus.**

**Subjective.**

Aching, painful.  
 Heaviness, great weight in anus.  
 Itching.  
 Prickling.  
 Sticking, pricking as from sharp pins ; ceasing from slight friction.  
 Tenesmus, strong desire for stool.

**Objective.**

Bleeding, < after stool, copious ; soon ceasing.  
 External.  
*Large, swollen.*

**Aggravation.**

Stool, after (bleeding).

**Amelioration.**

Rubbing (sticking).

**Concomitant.**

More or less derangement of the heart ; sensation of constriction about the heart, or in the chest, as from something clutching and holding it tightly, and preventing normal action ; palpitation < lying on left side, walking, night, at approach of menses, and from any exertion.

Weakness, depression and sleeplessness.

Congestion, pulsation, heaviness, and constriction in various parts.

Cale. c.

CALCAREA CARBONICA.

Carbonate of  
Lime.

**Subjective.**

Aching, painful when walking, for hours after a stool,  
in rectum, < after stool, even a loose stool, > sitting.  
< during stool.

*Burning* in rectum, in anus.

Cramping pain, in rectum, < afternoon, < sitting,  
must walk about.

Crawling, as from worms, in rectum.

Cutting, shooting in rectum, for hours after stool.

Dryness.

Heaviness, in lower part of rectum.

Itching, for hours, at bedtime.

Long lasting, aching, cutting, itching.

Sensitiveness, of anus, even a loose stool is painful,  
< touch.

Sticking, pricking.

Tearing.

Tenesmus.

Tension, drawing.

**Objective.**

*Bleeding*, frequent, copious, < sitting, < during stool.

Chronic.

Constriction, spasm of anus or rectum.

Discharge, oozing, fish-brine smelling.

Eruption.

Excoriation.

*External*, < **during stool**, < walking, protruding.

**Fistula.**

*Internal.*

*Large*, swollen, < walking and > sitting.

*Prolapsus*, of anus, of rectum, < *during stool*.

*Suppressed, having been.*

**Aggravation.**

Afternoon (cramping pain).

Bleeding, suppressed, from having been.

Evening, bed, in (itching).

Sitting (bleeding, cramping pain).

Stool, after (aching, cutting).

**Stool, during** (aching, bleeding, sensitiveness **external**,  
*prolapsus*).

Sulphur, after suppression by.

*Suppressed, after being.*

Touch (sensitiveness).

Walking (aching, large, external).

### **Amelioration.**

Sitting (aching, large).

### **Concomitant.**

Too frequent and too profuse menstruation.

Habitually cold, damp feet.

Palpitation of heart.

Rawness of soles of feet from perspiration.

The patient cannot remain still on account of the sensations and pains in the anus; and particularly after stool.

Prolapsus recti with diarrhoea as a precursory of tuberculosis of the lungs.

Fears that she will lose her reason, or that people will observe her mental confusion.

Vertigo on walking in open air, ascending a height, looking upward or turning head quickly.

Profuse perspiration, mostly on back of head and on the neck; or on chest and upper part of body.

Pit of stomach swollen and painful to pressure.

Urinary troubles brought on by standing on cool, damp pavement.

Painless hoarseness.

General symptoms better when constipated.

As often as he falls asleep he is awakened by the same disagreeable idea.

Liability to take cold, and sensitiveness to cold, damp air.

**Calc. Phos.**

**CALCAREA PHOSPHORICA.**

**Phosphate of  
Lime.**

### **Subjective.**

Aching.

Cutting, shooting.

Extending downward, stinging.

Itching, < evening.

Scraping.

Soreness.

Stinging, stitches downward.

Throbbing.



**Objective.**

Bleeding.  
 Boils, small furnucles near anus, to the right.  
 Discharge, oozing a yellow fluid, moisture.  
 External, protruding, < after stool, < during stool.  
**Fistula.**

**Aggravation.**

Evening (itching).  
 Stool, after (external).  
 Stool, during (external).

**Concomitant.**

Fistula in ano alternating with chest symptoms.  
 Persons who, when young, had formed bone slowly;  
 with tardy dentition; open fontanelles and thin  
 skulls; weakness of neck and inability to hold head  
 erect; and who were slow learning to walk.

**Can. Sat.****CANNABIS SATIVA.****Hemp.****Subjective.**

Drops, as from cold.  
 Heaviness, pressure in rectum as if the intestines were  
 sinking down, and would be pressed out, < while  
 sitting.  
 Squeezing, constrictive pain in anus.

**Aggravation.**

Sitting (heaviness).

**Concomitant.**

Obstinate constipation causing retention of urine.  
 Sensation as of drops of water falling on, or from,  
 single parts (anus, heart, head, etc.).  
 Tearing pain along the urethra in a zigzag direction,  
 strangury.  
 Tightness of breathing, asthma where the patient can  
 only breathe by standing up.  
 Dislocation of patella on going up stairs.

**Canth.**                      **CANTHARIS VESICATORIA.**                      **Spanish Fly.**

**Subjective.**

Burning, violent burning in anus, causing him to cry out ; during stool, after stool.  
Cutting, in rectum, partially relieved by discharge of flatus, entirely relieved by stool.  
Smarting, biting in anus, after stool.  
Stinging, in anus, after stool.  
Tenesmus, desire for stool while urinating, after stool.

**Objective.**

Bleeding, pure blood from anus.  
Discharge, mucus and blood.  
Prolapsus ani, during stool.

**Aggravation.**

Micturition, during (tenesmus).  
Stool, after (biting, burning, stinging, tenesmus).  
Stool, during (burning, prolapsus).

**Amelioration.**

Flatus, emission of, after (cutting).  
Stool, after (cutting).

**Concomitant.**

Constant desire to urinate, without ability ; or with difficult emission of a few drops only, which may be mixed with blood.  
Burning, cutting pains in urethra during micturition.  
Excessive desire for sexual intercourse.  
Stools like scrapings of mucous membrane, mixed with blood.  
Erysipelatous inflammation ; vesicles from burns.

**Caps.**                      **CAPSICUM ANNUUM.**                      **Red pepper.**

**Subjective.**

Aching.  
Burning, as from pepper, < from bleeding.  
*Itching.*  
Soreness.  
*Tenesmus*, < after stool, < after drinking ; must go to stool, but costive, and only a little mucus passed.  
Throbbing.

**Objective.**

Bleeding, for a long time, oozing of blood, of dark blood.

Blind.

Discharge, of mucus, of bloody mucus, moist.

External, < during stool.

Internal.

Large, very large, swollen.

Suppressed, having been.

**Aggravation.**

Bleeding, after (burning).

Bleeding, suppressed, having been.

Drinking, after (tenesmus).

Stool, after (tenesmus).

Stool, during (external).

**Concomitant.**

Lack of reactive force, especially with fat people, easily exhausted; dreads all sort of exercise.

Stool mixed with bloody mucus.

Although the patient is inclined to be jovial he gets angry at trifles.

Homesickness, with red cheeks.

Headache, as if the skull would split open, worse from jar of coughing, and when at rest; better from motion.

Painful swelling behind the ear (petrous bone), very sore to touch.

Every stool is followed by thirst, and every drink by shuddering.

With every explosive cough (and at no other time), there escapes a volume of fetid air.

Pain in distant parts on coughing (bladder, knees, legs, ears, head, or throat).

Burning and smarting, as from Cayenne pepper, on many parts, and in the throat.

**Carb. an.**      **CARBO ANIMALIS.**      Animal charcoal.

**Subjective.**

Aching, painful, < motion, < touch.

**Burning, < walking.**      Severe burning in the rectum, in the evening.

Cutting, < during stool.

Soreness.

*Stinging*, in rectum, in anus, stitches, < walking.

Tenesmus, unsuccessful desire for stool.

### Objective.

Bleeding, blood passes during stool.

*Discharge*, viscid mucus.

Excoriation.

External, during stool.

Fissure in anus.

**Large, swollen.**

Sweat (at anus).

### Aggravation.

Evening (burning).

Motion (aching).

Night.

Stool, during (bleeding, cutting, external).

Touch (aching).

Walking (**burning**, stinging).

### Concomitant.

Pain in head as if it had been blown to pieces ; has to sit up at night and hold it together.

Confused hearing, cannot tell from what direction a sound comes.

Redness of tip of nose.

Menses are followed by such great exhaustion she can hardly speak. Empty faint feeling in stomach on suckling the child ; fatigue from eating.

A stitch remains in the chest after recovery from pleurisy.

Glands indurated, swollen, painful ; in neck, axillæ, inguinal region, mammæ.

Easy spraining from lifting even small weights ; ankle-joints turn when walking.

Carb. vg.

**CARBO VEGETABILIS.** Vegetable charcoal.

### Subjective.

*Aching, painful.*

Boring, gnawing.

*Burning*, < during stools.

Crawling.  
 Dryness.  
 Fulness.  
*Itching.*  
 Smarting.  
 Soreness.  
 Stinging.  
 Tenesmus.  
 Tickling, titillation.  
 Tingling.

### **Objective.**

Bleeding, < during stools.  
**Bluish.**  
 Boils at anus.  
 Chronic.  
 Discharge, moisture. Offensive smelling mucus ; oozing from rectum ; acrid ; corroding ; viscid ; fetid.  
 Eruption at anus.  
 External.  
 Fetid, offensive.  
**Fistula.**  
*Large*, swollen, protruding, congested.  
 Suppressed, having been.  
 Suppurating.

### **Aggravation.**

Alcoholic drinks, (debauchees).  
 Night.  
*Stool, after.*  
 Stool, during, (bleeding, burning).  
 Suppressed, after being.

### **Concomitant.**

Weakness of memory ; slowness of thought.  
 Frequent (daily), attacks of epistaxis, for weeks, worse from exertion ; paleness of face before as well as after the hæmorrhage.  
 Hippocratic face ; greenish color ; cold ; cold sweat.  
 Easy bleeding of gums.  
 Want of appetite.  
 Weak digestion ; the plainest food disagrees ; stomach bloated and uncomfortable ; eructation relieves ; The patient craves things that make him sick ; old toppers crave whiskey ; wants clothing loose around abdomen.

It is difficult to void the stool even when soft.  
 Soreness of, and oozing of moisture from perinæum.  
 The seminal fluid is discharged too quickly.  
 Voice fails when exerted.  
 Feels sleepy and must make an effort to rouse up;  
   general sluggishness of the system; the longer he  
   sleeps the more tired he becomes.  
 Persons who have had some other exhaustive disease  
   and never fully recovered.  
 Great weakness from least exertion.  
 Sufferers from debauches, late suppers, rich food, and  
   loss of fluids.

**Carls.****CARLSBAD.****Water from  
Carlsbad Spring.****Subjective.**

Aching, painful.

Burning.

*Cutting.**Extending to back*, stinging.*Extending to penis*, stinging.

Stinging, extending to penis, or to back.

Tearing.

**Objective.**

Bleeding.

Discharge, moisture.

**Aggravation.**

Stool, after.

**Concomitant.**

The usually rapid gait becomes slower; lassitude with  
 sluggishness from every occupation; very tired and  
 dejected; sensation of weakness, so that she trem-  
 bled and could hold nothing securely.

**Cascar.****CASCARILLA.****Cascarilla.****Objective.**

Bleeding, frequent, excessive, during stool, after stool,  
 without stools, pale blood.

**Aggravation.**

Stool, after (bleeding).

Stool, during (bleeding).

**Concomitant.**

Hard, brown stools, in large lumps, covered with mucus.

Caust.

**CAUSTICUM.**

(Of Hahnemann's  
formula.)

**Subjective.**

**Aching**, painful, frequent pressive pain, < touch, < thinking about it ; < sitting, < standing, < walking, > after stool.

**Burning**, > after stool, < walking, < touch.

Cutting, frequent, sudden, penetrating pains.

Fulness.

Heaviness, pressure.

*Itching.*

*Sensitiveness, tenderness unbearable when walking and < from touch.*

**Soreness**, < touch, > after stool, sticking.

**Stinging**, > after stool < touch, < walking.

Tenesmus, ineffectual urging.

Throbbing, pulsation in rectum.

**Objective.**

Boils at anus.

Chronic.

**Discharge**, moisture.

Eruption, large, painful pustule near anus, having discharge of pus, blood and serum.

*External.*

Fissure.

Fistula.

**Indurated.**

Internal.

**Large**, so large as to hinder stool, swollen.

Paralysis (of sphincter).

Stool preventing.

**Aggravation.**

Sitting (aching).

Standing (aching).

Stool, after.

**Thinking of them** (aching).

**Touch** (aching, burning, *sensitiveness*, **soreness**).

**Walking** (aching, *burning*, *sensitiveness*, *stinging*).

### **Amelioration.**

**Stool, after** (aching, **burning**, **soreness**, **stinging**).

### **Concomitant.**

Stool passes better when the person is standing.

Weak, scrofulous persons of yellow, dirty looking complexion.

Fulness of abdomen as if it would burst.

The stool is impeded by the hæmorrhoids.

Melancholy, peevish and apprehensive; disgusted with the dread of wasting away with consumption.

Drooping of upper eyelids; patient can't keep them up.

Old warts on the nose.

Much mucus in throat which cannot be hawked up and which produces nausea.

Sensation as of lime being slaked in the stomach.

Hard, tough stool, covered with mucus which shines like grease.

Involuntary micturition; when asleep at night; when coughing, sneezing or walking; urinates so easily that he is not sensible of it and in the dark will not believe it unless he makes sure with the hand.

Menses flowing only in daytime; leucorrhœa only at night.

After menses cease a little blood is passed from time to time for many days, which smells badly.

Hoarseness, catarrhal aphonia; on attempting to speak the voice fails and becomes a squeak.

Burning soreness in a streak down centre of chest under sternum; with cough.

The cough is relieved by a swallow of water.

Paralysis of single parts; vocal organs, tongue, eyelids, face, extremities, bladder; generally right sided.

Injuries of the skin which had healed over reopen.

Have "never felt well since that burn."



Cepa.

ALLIUM CEPA.

Onion.

**Subjective.**

Burning.

Coldness as of a snail crawling there.

Itching.

Stinging.

**Objective.**

External.

Fissure, rhagades.

**Concomitant.**

Constipation following intermittents treated with quinine.

Fears that the pain will become unbearable.

Dull headache, with coryza, &lt; evening, and in warm room, &gt; in open air.

Flow of bland tears; coryza is acrid, left eye and left side of nose most affected, violent sneezing.

Cham.

CHAMOMILLA.

Chamomile.

**Subjective.**

Aching, painful.

Burning.

**Forming, sensation internally as if.**

Smarting.

Stinging.

Tenesmus; frequent, ineffectual urging to stool.

**Objective.***Bleeding.*

Blind.

Fissure, ulcerating fissures.

*Inflamed.***Internal.***Ulcerated.***Aggravation.**

Stool, during (burning).

**Concomitant.**

Peevish and ill humored; spiteful and uncivil; "too ugly to live;" thinks that the pain cannot be borne and becomes furious about it, bad effects from anger.

Redness and heat of one cheek; the other may be pale and cold.

Pain in stomach aggravated by eructations.

Diarrhoea from cold, anger, or chagrin.

Dry tickling cough at night during sleep.

Oversensitiveness of the nerves; the pain (in any part) is insupportable and drives to despair; pains are of an aggravating character.

**China.**

**CINCHONA OFFICINALIS. Calisaya Bark.**

**Subjective.**

Aching, painful.

Burning.

Crawling, creeping, extending into urethra.

Extending to urethra, (itching, tingling, crawling).

Heaviness.

Itching, extending into urethra.

Stinging.

Tension.

Tingling, extending into urethra.

**Objective.**

Bleeding.

Discharge, mucus from rectum.

Paralysis (of sphincter).

**Concomitant.**

The itching, tingling, and creeping, extend into the urethra (from the anus) with burning of the glans penis.

Indifference and apathy.

Face pale, hippocratic; eyes sunken and surrounded by blue margins; pale and sickly as after excesses.

Headache or toothache aggravated by slightest touch, but ameliorated by pressure.

Abdomen bloated, full of wind, rumbling and fermentation; < after eating fruit; does not feel relieved by passing flatus or by eructation.

Hæmorrhages from various parts with great debility and craving for acids.

General aggravation from touch; from draft of air; and from loss of animal fluids (blood, semen, diarrhoea, leucorrhœa, excessive nursing).

Toothache while suckling the child.

**Chrom. Ac.**                      **ACIDUM CHROMICUM.**                      **Chromic Acid.**

**Subjective.**

Aching, painful.

**Objective.**

Bleeding.

External, left side of anus.

Internal.

**Concomitant.**

Sensation, on eating food which tastes naturally, as if the exhaled air smelled putrid, almost causing nausea.

**Cicuta.**                                      **CICUTA VIROSA.**                                      **Cow-bane.**

**Subjective.**

Burning, after rubbing.

*Itching*, in rectum.

**Objective.**

Prolapsus, after stool.

**Aggravation.**

Rubbing, after (burning).

Stool, after (prolapsus).

**Concomitant.**

Persons of a highly nervous organization; women subject to epileptic and choreic convulsions.

When reading the letters seem to turn or move about.

Abnormal appetite for chalk, etc.

In walking he involuntarily turns the foot inward, and brings it down so as to describe an arc.

Violent shocks through the head, arms, and legs, which cause sudden jerkings of the part.

**Cimicif.**                                      **ACTEA RACEMOSA.**                                      **Black Snakeroot.**

**Subjective.**

Aching, painful.

**Objective.**

Internal.

**Concomitant.**

Melancholia.

Headache ; as if the top of the head would fly off ; as if a bolt was driven from the neck to vertex, < every throb of heart ; in occiput shooting down to back of neck.

Every inhalation seems to bring the cold air into contact with the brain.

Sharp, lancinating pains, with ovarian or uterine irritation.

**Clem.**

**CLEMATIS ERECTA.** Upright Virgin's bower.

**Subjective.**

Burning, > after stool.

*Itching.*

**Objective.**

*Discharge, moisture.*

Large, swollen, < during stool.

**Aggravation.**

Stool, during (large).

**Amelioration.**

Stool, after (burning).

**Concomitant.**

Swelling, induration and pains in inguinal glands.

Flow of urine interrupted, (flows and stops).

Stitches from the abdomen up into chest on urinating.

After micturition an itching, tingling in the urethra, lasting half an hour.

Involuntary dripping of urine.

Itching eruptions which are moist during the increase of the moon, and pale and dry during its decrease.

**Coccul.**

**COCCULUS INDICUS.** Indian berries.

**Subjective.**

Aching, extending to urethra.

Burning.

Extending to urethra, aching.

Squeezing, contractive pain in rectum, preventing sitting in afternoons.

Tenesmus, after stool.

### **Aggravation.**

Menses, after.

*Menses, difficult.*

Sitting, afternoon (squeezing).

Stool, after (tenesmus).

### **Concomitant.**

Time passes too quickly.

Nausea from riding in a carriage, car or boat, or even looking at a boat in motion.

Light-haired females who suffer from uterine troubles and have attacks of hæmorrhoids after menstrual periods.

Great lassitude of the whole body; it requires exertion to stand firmly; feels too weak to talk loudly; < for awhile after eating, drinking or talking.

Sleeplessness after loss of sleep; persons who are much affected by sitting up at night; feel weak if they lose but one hour's sleep.

**Colch. COLCHICUM AUTUMNALE. Meadow saffron.**

### **Subjective.**

Aching pain, in anus, during stool.

Burning.

Cramping pain.

Crawling.

Itching.

Prickling.

*Tearing.*

Tenesmus, violent, during stool, ineffectual urging.

### **Objective.**

Constriction, spasm of anus.

Discharge, moisture.

Prolapsus ani during stool.

### **Aggravation.**

Stool, during (aching, prolapsus, tenesmus).

**Concomitant.**

Hæmorrhoids with spasm of bladder, and discharge of blood from it; and shuddering in back.

Slight causes, external impressions (bright light, strong smells, contact, bad manners, etc.), disturb his temper at once.

Nausea from odor of food cooking, and that of fish, eggs, or fat meat almost makes him faint.

Diarrhœa on swallowing saliva.

Autumnal dysentery; the discharges contain white shreddy particles.

Affects small joints markedly, arthritic pains in joints when the patient screams with pain on knocking the joints slightly, or stubbing the toes, it hurts exceedingly.

Bad effects from night watching.

Sleeplessness because he cannot lie on the left side, on which he is accustomed to sleep.

Collins.

**COLLINSONIA CANADENSIS.**

**Horse-weed.**

**Subjective.**

Aching, dull pain < after a hard stool.

Burning, heat.

Heaviness, weight in the rectum.

Itching.

*Sticking*, sensation in rectum as from sticks, *sand* or *gravel* lodged there.

**Objective.**

Bleeding, flowing incessantly, though not profusely.

Blood dark and tough enveloped in viscid mucus.

Blind.

Chronic, obstinate.

External, protruding.

Paralysis, congestive inertia of rectum.

**Aggravation.**

Evening, toward.

Night.

Pregnancy, during.

Stool, hard, after (aching).

**Amelioration.**

Morning.

**Concomitant.**

Constipation. with pain in the epigastrium ; and loss of appetite.

A great deal of flatulence.

Congestion of pelvic viscera with hæmorrhoids, especially in latter months of pregnancy.

Catarrh of bladder with hæmorrhoids.

Stools mostly only in the evening.

Stools lumpy and pale (in obstinate constipation), with dull pain in anus.

Dysmenorrhœa.

Severe colicky pain in the hypogastrium every few minutes, with fainting ; has to sit down to get relief.

**Coloc.**

**COLOCYNTHIS.**

**Bitter cucumber.**

**Subjective.**

*Aching, painful.*

Burning.

Open, as if ; weak sensation in anus as from continued diarrhœa.

Stinging.

Tenesmus, during stool.

**Objective.**

Bleeding.

Discharge.

External, < during stool.

**Internal.**

*Large, swollen.*

**Aggravation.**

Stool, during (external, tenesmus).

**Concomitant.**

Terrible colicky pains, either from bowel, ovarian, or uterine origin ; the character of the pain causes the patient to "double up," and bend over some hard object as a table corner, and to press violently there, being worse in any other position ; with restlessness, moaning and lamenting.

Con. **CONIUM MACULATUM.** Spotted Hemlock.

**Subjective.**

*Burning*, in rectum, < during stool.  
 Stinging, frequent stitches in anus.  
 Tenesmus, ineffectual, during stool.

**Aggravation.**

Stool, during (burning, tenesmus).

**Concomitant.**

Trembling weakness after stool.  
 Much troubled with vertigo, particularly when lying down, and when turning over in bed; wants to keep the head perfectly still, as moving the head, or even the eyes, aggravates the vertigo greatly; everything in the room appears to whirl around.  
 Aversion to light very marked though without inflammation of the eyes.  
 The flow of urine is interrupted—flows and stops.  
 Bad effects from suppressed sexual desire—celibates; leucorrhœa in old maids.  
 Spasmodic cough at night on lying down.  
 Bad effects from contusions (hard swelling of glands, etc.).

**Crocus.**

**CROCUS SATIVUS.**

**Saffron.**

**Subjective.**

*Crawling* sensation in anus as from thread-worms.  
 Cutting, sensitive, long stitches near left side of anus, at times.  
 Extending to left groin, stinging.  
*Itching.*  
 Stinging, < inspiration, extending to left groin.  
 Twisting, intolerable writhing in anus.

**Aggravation.**

Breathing (stinging).

**Concomitant.**

Hæmorrhage, when the blood is dark and stringy, forms itself into long strings, clots easily; from any part, nose, womb, etc.  
 Sensation as if something living were hopping about in the stomach, abdomen, arms, or other parts of body.



**Crot. tig.****CROTON TIGLIUM.****Croton oil.****Subjective.**

Burning, in anus.

Heaviness, dragging in anus as if diarrhœa would ensue.

Itching.

Lump, sensation as if a plug was forcing out.

Scraping, rasping.

Soreness.

Squeezing.

Stinging.

Tenesmus.

Throbbing.

**Objective.**

Constriction of sphincter.

Prolapsus.

**Aggravation.**

Stool, after (prolapsus).

Stool, during (prolapsus).

**Concomitant.**

A constant pressure outward at umbilicus, which, when pressed upon, causes a painful sensation down to the anus.

The bowels are moved as if by a spasmodic jerk or burst, "coming out like a shot," as soon as he drinks or eats, or while eating.

Intense itching of the skin, but there is so much tenderness that he cannot bear to scratch; a mere rub, however, allays the itching.

Burning stitches in left side of chest through to scapula; in nursing-women this may be felt, on either side, from the nipple right through to the back, every time the child sucks.

**Cycla.****CYCLAMEN EUROPEUM.****Sow-bread.****Subjective.**

Aching, pressing pain.

Burning, heat in rectum.

Fulness, as from suppuration.

Heaviness, pressure in rectum and anus.

Stinging.

Tenesmus, urging to stool.

Throbbing, as from suppuration.

### Objective.

Bleeding.

Large, swollen, < from afternoon nap.

### Aggravation.

Afternoon.

Sitting (fulness, throbbing).

Sleep, afternoon (large).

Walking (fulness, throbbing).

### Concomitant.

Sensation of nausea in the throat.

Itching of the skin, which changes its place from scratching.

After eating a small quantity, has aversion to any more.

Sees fiery sparks or stars all the time, with other troubles, headaches, etc.

Diosc.

**DIOSCOREA VILLOSA.**

Wild yam.

### Subjective.

Aching, great pain, painful, < 6.30 A.M., < 5 P.M., < after stool.

Burning, during stool, on passing wind, as if fæces or flatus were hot.

Cutting, darting pain from hæmorrhoids to liver.

Discomfort, great distress.

Extending to liver, cutting.

Itching, < 2 P.M.

Soreness, < 8.30 A.M., < evening, < morning, < noon, < 2 P.M.

Tenesmus, sudden urging early in the morning.

### Objective.

Bleeding.

Bluish, livid color, purple.

Chronic.

Dark.

Discharge, mucous, slimy.

External, prolapsed hæmorrhoids, < **morning**, < after stool, < during stool.

Large, like grapes around the anus, like cherries.

Prolapsus ani, < after stool.

### **Aggravation.**

A.M. 6.30 (aching).

A.M. 8.30 (soreness).

Evening (soreness).

Flatus, emission of, during (burning).

**Morning, external** (soreness).

Morning, early (tenesmus).

Noon (soreness).

P.M. 2 (itching, soreness).

P.M. 5 (aching).

Stool, after (aching, external, prolapsus).

Stool, during (burning, external).

### **Concomitant.**

Black, hard, lumpy stool, the last part soft, white and mushy, followed by prolapsus.

Disposition to have felons.

Colicky pain in bowels, worse while lying, better by walking about.

**Elaps.**

**ELAPS CORALLINUS.**

**Coral viper.**

### **Subjective.**

Itching.

### **Objective.**

Bleeding, black liquid blood.

Constriction of sphincter after bloody stool.

Prolapsus ani.

### **Aggravation.**

Stool, after (constriction).

### **Concomitant.**

Sensation as if bowels were twisted.

Discharge of black blood from vagina between the menstrual periods.

Fruits and drinks lie on stomach like ice.

**Erig.****ERIGERON CANADENSE.****Pride weed.****Subjective.**

Burning, about margin of anus.  
Tearing, as if torn.

**Objective.**

Bleeding.

**Concomitant.**

Stools hard, lumpy, small, streaked with blood.  
Burning in bowels and rectum.  
Metrorrhagia ; very profuse flow of bright red blood ;  
every movement of the patient increases the flow,  
lochia returns after least motion.

**Euphras.****EUPHRASIA OFFICINALIS.****Eyebright.****Subjective.**

Aching, painful, < motion.  
Boring.  
Burning, severe, < night, < afternoon, < 6 P.M., >  
cold sitz bath, > cold bathing.  
Heaviness, pressure at anus while sitting.  
Itching, < 3 P.M.  
Stinging.  
Tension.

**Objective.**

Excrescence, old flat condylomata.

**Aggravation.**

Afternoon (burning).  
Motion (painful).  
Night (burning).  
P.M. 3 (itching).  
P.M. 6 (burning).  
Sitting.

**Amelioration.**

Bath, cold sitz (burning).  
Bathing, cold (burning).

**Concomitant.**

The eyes water all the time.

Fer.

FERRUM METALLICUM.

Iron.

**Subjective.**

Aching, painful.  
Boring, gnawing.  
Burning at anus, during stool.  
Fulness.  
Heaviness, pressure < during stool.  
Itching at anus, at night.  
Tearing, tearing pains.  
Tenesmus, urging to stool (*during a meal*).

**Objective.**

Bleeding, copious, oozing of blood.  
Blind.  
Discharge, oozing of ichorous matter.  
*External*, < during stool.  
Paralysis of sphincter.  
Prolapsus recti, during stool.

**Aggravation.**

Eating (*tenesmus*).  
Malt liquors.  
Night (itching).  
Stool, during (burning, heaviness, external, prolapsus).

**Concomitants.**

Constipation; stools hard and difficult, followed by backache.  
Prolapsus recti, with children.  
A fiery redness of the face; or, if the face is even extremely pale it will become flushed on the least pain or exertion.  
Regurgitation of food in mouthfuls.  
Diarrhœa of undigested food, has to hurry to stool while eating.  
Pains in hip or shoulder joints, relieved by slow motion.  
Emaciation and debility, with fiery red face.  
General hæmorrhagic tendency.  
Always feels better by walking about slowly, although weakness obliges the patient to lie down.

Flu. ac.

ACIDUM FLUORICUM.

Fluoric acid.

**Subjective.**

Itching, in anus, around anus.

**Objective.**

Constriction of sphincter.

External, < during stool.

Prolapsus, during stool.

**Aggravation.**

Stool, during (external, prolapsus).

**Concomitant.**

Fistula lachrymalis or dentalis.

Violent pains confined to a small spot.

Increased ability to exercise his muscles without fatigue, regardless of the most excessive heat in summer or cold in winter.

Old cicatrices look red, as though they would break open again.

Gal. ac.

ACIDUM GALLICUM.

Gallic acid.

**Subjective.**

Sensitiveness, < touch, < after stool.

Smarting.

Soreness.

Squeezing, contraction in anus.

**Objective.**

Large, swollen.

**Aggravation.**

Stool, after (sensitiveness).

Touch (sensitiveness).

**Concomitant.**

After stool, a smarting, aching, faint, sick, hungry, and gnawing sensation in the bowels, extending to the stomach, with nausea, with an astringent sensation there.

Gels.                    **GELSEMINUM SEMPERVIRENS.**    Yellow Jas-  
mine.

**Subjective.**

Smarting, excoriated sensation.

Tenesmus, urging to stool from sudden emotions.

**Objective.**

Paralysis of sphincter.

Prolapsus.

**Aggravation.**

Mental excitement (tenesmus).

**Concomitant.**

Cannot follow an idea for any length of time; vacant feeling of the mind.

Bad effects from fright, fear, exciting news, and sudden emotions; when preparing for church or theatre, or to meet an engagement, the excitement brings on diarrhœa.

Headache, which is relieved by profuse urination.

Great heaviness of the eyelids, cannot keep them open.

Nocturnal emissions and sexual dreams, followed the next day by great languor and irritability of mind.

A feeling as if the heart would stop beating if he did not walk incessantly.

Gran.

**GRANATUM.**

Pomegranate.

**Subjective.**

Crawling.

Itching, frequent.

Tenesmus.

Tickling.

**Objective.**

*External.*

Prolapsus ani.

**Concomitant.**

Weak feeling; could scarcely keep upright.

Worm symptoms; itching, crawling, tickling in the nose; unusual hunger; loss of appetite; nausea and pain in stomach, with frequent spitting; fer-

mentation in abdomen ; sickly look ; ill-humored ; itching, tickling in anus, frequently during the day ; sensation as of a lump in the throat ; numerous and varied dreams.

Bruised pain in the shoulders and between them, as after a heavy load ; the clothing is oppressive.

**Graph.**

**GRAPHITES.**

**Black lead.**

**Subjective.**

*Aching*, for hours after a stool, < night, painful < during menses, < after stool, on sitting down, on taking a wide step.

**Burning.**

Cutting, pain as from a split with a knife, on sitting down, or on taking a wide step ; sharp pain during stool.

Extending upward (the sensations or pains).

*Itching*, violent.

Long-lasting, aching.

Smarting.

**Soreness**, very sore on touch.

Squeezing, constricted sensation after stool.

Sticking.

*Stinging*.

Tenesmus.

Tension.

**Objective.**

Chronic.

*Discharge*, after a stool there is some mucus remaining about the anus ; moisture.

Dryness of mucous membranes of rectum.

*External, after stool.*

Fissure, rhagades between the varices, fissure ani.

Large.

Paralysis of sphincter.

Prolapsus, of rectum ; even when there is no desire for stool, as if it had lost its contractile power.

Swollen anus.

**Aggravation.**

Menses, during (aching).

Morning, bed, before rising from.



Night (aching).

Sitting, on (aching, cutting).

*Stool, after* (aching, discharge, *external*, squeezing).

**Stool, during** (cutting).

Touch (soreness).

Walking, wide step (aching, cutting).

**Wiping**, after stool.

### **Concomitant.**

Chronic constipation, with hardness in the region of the liver; stool is difficult, hard, knotty, the lumps being united by mucous threads; stool too large in size and hard; a quantity of white mucus is expelled with the stool; stools very seldom.

Morning sickness during menstruation.

Unhealthy skin; very characteristic with all skin troubles is a thin, sticky, transparent fluid from any eruption; eruptions spreading by this exudation; humid eruptions; soreness and rawness of the skin; every little injury suppurates; sore places behind the ears, between the fingers or toes, in the groins, under the breasts, etc.; old cicatrices break open again.

Excessive cautiousness.

Deafness in quiet places, the noises in ears seem so loud, but in the cars or carriage, where there is a rumbling sound, he can hear ordinary tones of the voice.

Acrid, excoriating leucorrhœa, in gushes.

**Gratiol.**

**GRATIOLA OFFICINALIS.** Hedge hyssop.

### **Subjective.**

Aching, painful.

Burning.

Crawling.

Itching.

Prickling.

Scraping, rasping.

Smarting, biting.

Sticking.

Stinging.

Tenesmus.

Throbbing.

**Objective.**

Blind. \*  
 Excoriation.  
 External, < during stool.  
 Fissure.

**Aggravation.**

Stool, after.  
 Stool, during (external).

**Concomitant.**

A constant vaporous exhalation from the body.  
 Diarrhœa from drinking excessive quantity of water  
 (the amount and not the coldness being the cause);  
 stool gushing out with force.  
 Painful erection following an involuntary emission.

Ham.

HAMAMELIS VIRGINICA.

Witch hazel.

**Subjective.**

Aching, painful.  
 Burning.  
**Fulness, before hæmorrhage.**  
 Heaviness, weight.  
 Itching.  
 Smarting, rawness.  
**Soreness.**  
 Tenesmus, urging to stool.

**Objective.**

**Bleeding**, passive hæmorrhage, *profuse bleeding*.  
 Bluish.  
 Eruption, red halo of erythema about anus.  
 External.  
 Large, tumid.

**Aggravation.**

**Bleeding, before (fulness).**

**Concomitant.**

After a hæmorrhage from the piles, he suffers from a  
 prostration which is out of proportion to the  
 amount of blood lost. (Hydrast.)  
 Weakness and weariness of the back, as if it would  
 break.

Venous congestion ; varicose veins and ulcers ; varicocele.

Passive hæmorrhages from the nose ; gums (after extraction of teeth), bowels, womb, lungs, or kidneys.

A sensation of fulness often precedes the hæmorrhage, and great feeling of soreness is associated with it.

**Hepar.      HEPAR SULPHURIS CALCAREA.      Sulphuret  
of potassium.**

### Subjective.

Burning, in rectum.

Heaviness.

*Sensitiveness*, < *touch*.

Soreness.

*Tenesmus*.

### Objective.

Bleeding, with even soft stool.

Constriction, spasm of anus.

**Discharge**, mucous, purulent.

*Eruption*.

Excoriation.

*External*, protrusion.

*Fistula*.

Inflammation.

Internal.

Suppurating.

Swollen anus.

Ulcerated.

### Aggravation.

Stool, during (bleeding).

*Touch* (*sensitiveness*).

### Concomitant.

Hypersensitiveness ; mentally over-sensitive and irritable, with quick, hasty speech ; the skin is very sensitive to touch, can't bear even the clothes to touch the part ; sensitive to a draft of air, imagines he can feel the air if an outer door is opened in the next room.

Sensation of sticking as of a fish bone is common in many troubles ; sore throat ; ulcers, etc.

The urine is voided slowly, without force, drops perpendicularly.

Rattling breathing, croupy, choking cough, < by letting the limb become cold, eating or drinking cold things and from cold air.

Suppuration seems inevitable.

Diseases where the system has been abused by Mercury.

Ulcers with many little pimples around, and the ulcer spreading by those pimples; sticking sensation; sensitive; looking like a lump of lard with a hole in the centre.

Unhealthy skin; the slightest injury produces suppuration and ulceration.

**Hydras.            HYDRASTIS CANADENSIS.            Yellow root.**

**Objective.**

Bleeding.

Excoriation.

Fistula.

**Concomitant.**

A small hæmorrhage from the piles is followed by excessive weakness. (Ham.)

Flatulent colic with faintness.

Catarrh of bladder, with thick, ropy mucous sediment in urine.

Faintness, goneness and physical prostration.

Stool lumpy and covered with mucus.

Sinking gone feeling in the stomach.

**Hyos.            HYOSCYAMUS NIGER.            Henbane.**

**Subjective.**

Tenesmus, frequent urging, < mental excitement.

**Objective.**

Bleeding, profuse.

*Paralysis*, weakness of sphincter, can hardly retain the stool, < by least mental excitement.

**Aggravation.**

Mental excitement (tenesmus, paralysis).

**Concomitant.**

Fulness of veins and full pulse; skin and muscles relaxed.

Stool or urine involuntary during sleep, and with old men.

Spasmodic, hacking cough on lying down, as if the uvula was too long, > sitting up.

Muscular twitchings.

Bad effects from jealousy or unhappy love.

**Ign.**

**IGNATIA AMARA.** Bean of St. Ignatius.

**Subjective.**

**Aching**, in rectum, after stool; painful, < after being in open air, < sitting, < standing, > walking, < when stool is loose.

*Crawling*, creeping.

**Cutting**, violent, shooting pains high up in the rectum, < for hours after stool, shooting upward.

*Extending upward*, cutting.

*Itching*, in anus.

Long lasting, soreness, tearing, squeezing.

Smarting in rectum, in anus, < after stool, as if excoriated.

*Soreness*, sore pain for hours after stool.

**Squeezing**, contractive pain, < while standing, for hours after stool.

*Stinging*, stitches, violent, < coughing.

Tearing, for hours after stool.

Tenesmus, fruitless urging to stool, < after stool.

Tension.

**Objective.**

Bleeding, copious discharge of blood, < when the stool is loose.

Blind.

Constriction of sphincter, stricture.

Discharge, moisture.

Eruption.

External, < after stool, < during stool.

Fissure.

**Internal.**

**Prolapsus ani**, after stool, from even moderate straining for stool, so that it has to be replaced, < *during stool*.

Replaced easily (the hæmorrhoids).

**Aggravation.**

**Open air**, after being in (aching).

*Cough* (stinging).

Diarrhœa, during (aching, bleeding).

Parturition.

**Sitting** (aching).

**Standing** (aching, squeezing).

**Stool after** (cutting, soreness, smarting, tearing, squeezing, external, **prolapsus ani**, aching, tenesmus).

*Stool, during* (*prolapsus external*).

**Amelioration.**

**Walking** (aching).

**Concomitant.**

A remedy of contrarieties ; the piles are > when walking ; sore throat feels > when swallowing ; empty feeling in stomach, *not* > by eating ; cough < the more he coughs ; spasmodic laughter from grief ; sexual desire with impotency ; cough on standing still during a walk ; thirst during a chill ; no thirst in the fever ; the color changes in the face when at rest.

Changeable disposition ; hysteria, long-drawn sobs.

Exhausted from long-concentrated grief.

Sensation as of a lump in throat, *not* > by swallowing.

In talking or chewing he bites himself in the cheek or tongue.

**Iod.**

**IODIUM.**

**Iodine.**

**Subjective.**

Aching, painful, < before stool.

Burning.

Itching.

Tenesmus, ineffectual urging.

**Aggravation.**

Evening.

Stool, before (aching).

**Concomitant.**

Eats often and too much, yet losing flesh all the time ;  
suffers from hunger, must eat every few hours, anxious and worried if he does not eat.

Leucorrhœa which corrodes the linen

Continual empty eructations, from morning till evening, as if every particle of food had turned to air.

Swelling and induration of the uterus and ovaries ;  
and of the mammary, thyroid and other glands ; or  
the breasts may dwindle away and become flabby.

**Jacar.****JACARANDA CAROBA.****Caroba.****Subjective.**

Cutting, acute, lancinating pain in anus.

Itching, while sitting.

Sticking, around anus.

**Objective.**

Excrescence at anus.

**Concomitant.**

Phymosis ; suppuration between glans and prepuce ;  
itching and pricking at margin of prepuce ; the orifice of urethra looks like two inflamed lips.

**Kali bi.****KALI BICHROMICUM.****Bichromate  
of Potash.****Subjective.**

Aching.

Burning.

Coldness.

*Fulness.*

Heaviness, pressure, < sitting.

Lump, as of a plug, in anus.

Soreness, at anus.

Stinging.

Tenesmus, urgent desire for stool, waking him in the morning, violent, after stool, during stool.

**Objective.**

Prolapsus ani, after stool.  
Retraction of anus.

**Aggravation.**

Morning, waking him up (tenesmus).  
Sitting (heaviness).  
Stool, after (tenesmus, prolapsus).  
Stool, during (tenesmus).  
Stool, morning, after.

**Concomitant.**

The mucous membranes are prominently affected (eyes, nose, mouth, throat, bronchi, gastro-intestinal, and genito-urinary tracts), with discharge of tough, stringy mucus, which adheres to the parts, and can be drawn out into long strings.  
Migratory pains, felt now here, now there.  
Tongue dry, smooth, shiny, red and cracked.  
Œdema of uvula.  
Liability to take cold in the open air.  
Violent, rattling cough, with gagging from viscid mucus in the throat; tickling cough.  
Sore throat; catarrhal irritation; posterior wall of pharynx is dark red, glossy and puffed; uvula inflamed and swollen; the throat hurts on protruding the tongue.

**Kali cb.****KALI CARBONICUM.****Carbonate of Potassium.****Subjective.**

**Aching, painful,** > while riding horseback, < during cough, < walking.  
**Burning,** during stool, after stool.  
*Crawling.*  
Cutting, shooting.  
Discomfort, an hour or two before stool.  
Heaviness.  
Itching, after stool.  
Long-lasting, discomfort.  
Paralysis, as of; rectum feels too weak to expel stool.  
Smarting.  
**Soreness.**



Sticking, pricking during stool.

**Stinging**, stitching.

*Tearing*, anus feels as if lacerated, after stool.

Tenesmus, unsuccessful desire for stool.

Tingling, as from worms.

Twinging.

### Objective.

*Bleeding*, during micturition, from large stools, from difficult stools, during stool.

Discharge, of white mucus, after hæmorrhage, moisture.

Eruption.

Excoriation.

External, *during micturition*, < *during stool*.

**Inflamed**.

Internal, < walking.

**Large, swollen**, < during stool, very large.

Ulcerated anus.

### Aggravation.

Bleeding after (discharge).

**Cough (aching)**.

Micturition, during (bleeding, *external*).

**Parturition**.

Stool, after (burning, itching, tearing).

Stool, before (discomfort).

Stool, difficult (bleeding).

*Stool, during* (burning, bleeding, large, *external*).

Stool, large (bleeding).

Walking (aching, internal).

### Amelioration.

Pressure, hard.

Riding horseback, during (aching).

Rising.

### Concomitant.

Constipation, with distress in rectum an hour or two before stool, with colicky pains.

Great tendency to start when touched ever so slightly, especially if on the feet.

Complaints, in the male, from coition or pollutions (weakness of eyes).

Women who abort at second or third month.

Asthma, relieved only by sitting up and bending over forward, or by rocking in a rocking-chair.

Aggravation of troubles at 2, 3, or 4 A.M. (cough).

Sharp, stitching, or jerking pains (in any part), are very characteristic (ears, face, teeth, throat, stomach, liver, all over abdomen, kidneys, uterus, chest, heart, back, limbs, etc.).

Backache while walking, feels as though she must give up and lie down; after confinement, abortion, metrorrhagia, etc.

Bag-like swellings about the eyes; between upper eyelids and eyebrows; under eyes.

Peevish and irritable; noise is disagreeable; easily startled.

**Kali nit.**

**KALI NITRICUM.**

**Saltpeter.**

### **Subjective.**

Aching, painful.

Heaviness.

Stinging.

Tenesmus.

### **Objective.**

External.

Large, swollen.

Prolapsus, during stool.

### **Aggravation.**

Stool, during (prolapsus).

### **Concomitant.**

Headache relieved by tying up the hair.

Contracting or constricting pain in the head, eyes, forehead, or face, which concentrates in the tip of the nose; the tip of nose may be inflamed, with stinging pains.

The ear-ring hole ulcerates.

Shortness of breath, which makes drinking difficult, can take it only in little sips.

**Kreos.****KREOSOTUM.****Creosote.****Subjective.**

Cramping, cramp-like pain in rectum during stool.

Extending to groin (left), stinging.

Stinging, stitches from rectum extending to the left groin.

Tenesmus, ineffectual, painful urging to stool.

**Objective.**

Constriction of sphincter.

**Aggravation.**

Stool, during (cramping).

**Concomitant.**

Offensive, excoriating, and intermitting flow of leucorrhœa, menses, metrorrhagia, or lochia.

Stitches from above downward in the vagina, causing her to start; corrosive itching of vulva, and deep in the vagina.

Especially adapted to putrid diseases.

Roaring and humming in the ears, with deafness, before and during the menses.

Dreams he is urinating, and wakens with urging, or with involuntary micturition.

**Lach.****TRIGONOCEPHALUS LACHESIS.****Surukuke.****Subjective.**Aching, very painful, < coughing, *extending up to umbilicus*. The pain is so increased by pressing to stool that he must desist.

Burning.

Cutting, shootings.

Extending upward, aching.

Extending to chest, side of, stinging.

Extending to kidneys, stinging.

*Extending to umbilicus*, aching.

Fulness.

Heaviness.

Itching, &lt; after sleep, &lt; after menses.

Lump, as of a plug.

Soreness.

Squeezing, constricted feeling, &lt; after stool, anus feels as if closed.

Stinging, extending up to side of chest; to kidneys; stitching pain felt up through the hæmorrhoidal tumors, especially *during coughing*, or sneezing.

Tearing.

Tenesmus, painful straining, ineffectual urging, tormenting urging but not for stool.

Throbbing, beating in anus as from small hammers.

### Objective.

Bleeding.

Bluish, < after stool.

Chronic.

Constriction of sphincter.

*Discharge*, of croupous exudate, moisture.

External, protruding, < *after stool*, < straining at stool.

Fissure.

Fistula.

Large, congested.

*Prolapsus* of rectum after stool.

Strangulated.

Swollen anus, tumefied rectum.

### Aggravation.

Alcoholic drinks.

Climacteric period.

*Coughing*, (*stinging*, aching).

Menses, during (itching).

Sleep, after (itching).

Sneezing, after (aching).

*Stool*, *after* (bluish, *external*, prolapsus, squeezing).

*Stool*, before.

*Stool*, *during* (aching).

*Stool*, straining at (*external*).

### Amelioration.

Sitting.

### Concomitant.

Chronic sore throat, which may not be very sore, but some mucus "will stick there," and cannot be forced up or down, sensation as of a plug in the throat, empty swallowing hurts the throat more than swallowing food; when he takes cold it affects the tonsils,

(either the left alone, or that one first), with great sensitiveness to the least touch of the neck.  
 The urine foams much.  
 Sensation as of a ball rolling in the bladder.  
 At climacteric period, or she has "never felt well since the change."  
 Aggravation of most troubles from sleep (sleeps into the aggravation).  
 Extremes of heat or cold, in temperature, cause great debility.  
 Great sensitiveness to touch (throat, stomach, abdomen); cannot bear clothing ordinarily tight about the neck or waist.  
 Old whiskey drinkers.

**Lactuc.****LACTUCA VIROSA.****Acrid lettuce.****Subjective.**

Burning.  
 Heaviness.  
 Soreness.  
 Sticking, pricking.  
 Tenesmus.

**Concomitant.**

Indescribable feeling of lightness of the body.  
 Spasmodic, dry, hollow, racking cough, as if it would burst the chest.  
 Sensation of coldness in the œsophagus, stomach and chest.

**Lil. tig.****LILIUM TIGRIGNUM.****Tiger lily.****Subjective.**

Burning, in anus, after stool.  
*Fulness.*  
 Heaviness, pressure in rectum, before stool.  
 Itching.  
 Lump.  
 Sensitiveness.

*Tenesmus*, great desire for stool, but every effort results only in voiding a little urine; bearing down at stool as if all would protrude.

Smarting, < after stool.

Soreness, on touch.

Stiffness.

### **Aggravation.**

Parturition.

Stool, after (burning, smarting, tenesmus).

Stool, before (heaviness).

### **Concomitant.**

Despondent and tearful; hurried manner, with desire to do something, yet feels no ambition; apprehensive.

Misplacements of the womb, with great feeling of bearing down as though everything would come out, and frequent urging to urinate; menstruation only when moving about, ceasing on sitting or lying.

**Lobel.**

**LOBELIA INFLATA.**

**Indian tobacco.**

### **Subjective.**

Heaviness.

Stinging.

### **Objective.**

Bleeding, copious, dark blood, black blood, after stool.

### **Aggravation.**

Stool, after (bleeding).

### **Concomitant.**

Weakness and oppression of epigastrium, with oppression of chest.

Urine of a deep red color, depositing a copious red sediment.

Nausea, with profuse running of water from the mouth, < after sleep; better by taking a little food or drink, even a swallow of water.

Lyc.

LYCOPODIUM.

Club moss.

**Subjective.**

**Aching, painful**, when sitting; < touch, continuing long after stool.

Burning in rectum.

Cramping pain.

Cutting.

Discomfort, great distress in rectum after stool, as if much flatus remained; lasting a long time.

*Itching*, evening in bed.

Long lasting, aching, discomfort.

**Soreness**, < sitting.

Sticking.

Stinging, stitches, in rectum.

Tenesmus, ineffectual urging to stool.

Tension, evening in bed.

**Objective.**

Bleeding, with even soft stool.

Chronic.

*Constriction* of sphincter, spasm of anus or rectum.

Discharge, purulent.

Eruption at anus.

*External*, < during stool, protruding.

*Fistula*.

Internal.

Large, swollen.

*Prolapsus ani*, the rectum is so contracted that it frequently protrudes during stool.

**Aggravation.**

Evening in bed (itching, tension).

*Sitting* (aching, soreness).

Stool, after (aching, discomfort).

Stool, during (bleeding, external, prolapsus).

Touch (aching).

**Concomitant.**

An itching eruption at the anus which is painful to touch.

Pain in sacral region extending to the thighs, < rising from a seat.

Obstruction at root of nose, can only breathe through the mouth.

Has great appetite, but a small quantity of food fills him up and he feels bloated; constant fermentation in abdomen, with loud noises (rumbling, croaking, etc.) there; does not feel relieved by eructation.

Hard stool, with ineffectual urging.

Foaming urine.

Red sandy sediment from the urine.

Severe pain in the back before urinating, making him cry out; relieved as soon as the urine flows.

Shortness of breathing with fan-like motion of alæ nasi.

Expectoration tasting salty.

Eructations taste sour.

Burning, as of red hot coals between the scapulæ.

Affections (throat, chest, abdomen, ovaries), commencing on the right side and going to the left.

Aggravation of many troubles from 4 to 8 P.M.

One foot hot and the other cold.

Wakens at night feeling hungry.

**Manc.**

**MANCINELLA.**

**Manchineel.**

### **Subjective.**

Fulness in rectum.

Throbbing.

### **Objective.**

Bleeding, blood coagulates at once, dark, offensive.

Bluish.

Fœtid, odor of blood offensive.

Large, swollen.

### **Concomitant.**

Hollow feeling in the stomach with a full feeling in rectum.

The breath is very offensive, perceptible to oneself.

Falling out of the hair.

Sensation as of flames rising from the stomach.



**Medor. MEDORRHINUM (Gonorrhin). The Nosode.**

**Subjective.**

Aching, so much pain during stool, as to cause tears.  
 Painful attack of piles.  
 Burning, intense, causing tears.  
 Discomfort, irritated feeling.  
 Forming, as if piles were.  
 Fulness, sensation as though rectum would prolapse,  
 < straining at stool; a bulging sensation.  
 Itching.  
 Lump, on posterior surface of sphincter a sensation as  
 of a lump.  
 Smarting, intense, causing tears.  
 Stinging, sharp, needle-like pains in rectum. Sting-  
 ing pains in rectum, a semi-circle on left side  
 seemed to be an inch high.

**Objective.**

Bleeding in large clotted masses.  
 Constriction of sphincter.  
 Discharge, profuse, bloody oozing of moisture; it was  
 fetid like fish-brine.  
 Eruption, pimples right side of anus.  
 External.  
 Fetid, odor of moisture like fish-brine.  
 Fissure, rhagades.  
 Prolapsus, protruding of rectum during stool.  
 Swollen anus, at left side.

**Aggravation.**

Stool, during (prolapsus).  
 Stool, straining at (fulness).

**Concomitant.**

Can only pass stool by leaning the body far back-  
 ward.  
 Shivering after the bloody discharge.  
 Impatient; time seems to move slowly, feels in a great  
 hurry; desperate feeling.  
 Memory poor.  
 Epistaxis, with feeling as though the nose was asleep.  
 Great general depression of vitality.  
 Patients who have had gonorrhœa which was not  
 cured, but suppressed; in those who have had a  
 gleet discharge for months.

Merc.

HYDRARGYRUM.

Quicksilver.

**Subjective.**

Aching, painful, &lt; during stool.

*Burning*, after stool.

Itching, after stool.

*Smarting*.**Soreness.**

Stinging, &lt; touch.

*Tenesmus*, < *night*.< *After stool*, < before stool, "cannot get done" feeling after stool, constant urging; < motion.**Objective.***Bleeding*, during stool, which is watery, during and after micturition.*Discharge*.

Eruption.

Excoriation, &lt; after stool.

External, &lt; during stool.

Inflamed.

*Large* < during stool, which is watery.*Prolapsus, ani, recti*, which is black and bleeding, *after stool*.*Suppurating*.**Aggravation.****Diarrhœa**, during (bleeding, large).

Micturition, after (bleeding).

Micturition, during (bleeding).

Motion (tenesmus).

*Night* (tenesmus).*Stool, after* (burning, excoriation, itching, *prolapsus, tenesmus*).

Stool, before (tenesmus).

Stool, during (aching, external).

Touch (stinging).

**Concomitant.**

Hæmaturia with violent, frequent urging to urinate.

Pain in sacrum as after lying on a hard couch.

Great weakness with ebullition and trembling from the least exertion.

Profuse perspiration attends many complaints, but does not relieve, and often seems to increase the trouble.

Ptyalism; profuse, fetid, metallic tasting saliva.

Dysentery; stools slimy, bloody; with great tenesmus during and after stool, and a "cannot finish" sensation.

Ulcers on gums, tongue, throat, and inside of cheeks, with salivation and spongy looking gums.

Most of the symptoms are < at night and in damp weather.

The gums recede from the teeth, are painful, and bleed easily.

Tongue shows indentation of teeth.

Increase of thirst although the tongue looks moist and the saliva is profuse.

The quantity of urine voided is larger than the amount of water drank.

Nocturnal emissions stained with blood.

**Merc. j. HYDRARGYRUM BIIODATUM RUBRUM. Biniodide**  
**rub. of Mercury.**

### **Subjective.**

Tenesmus, during stool, after stool.

### **Objective.**

Chronic, inveterate cases.

Fissure.

### **Aggravation.**

Stool, after (tenesmus).

Stool, during (tenesmus).

### **Concomitant.**

Sarcocele of left testicle.

A bubo which has been discharging for years.

The lips are slimy and sticky on waking in the morning.

**Mezer.****MEZEREUM.****Spurge olive.****Subjective.**

Aching, painful about the prolapsed rectum ; drawing pain, extending to urethra.

Extending to urethra, drawing, tearing.

Squeezing.

Stinging.

Tearing, extending to urethra.

Tenesmus, painless straining.

**Objective.**

Constriction of anus ; the anus is constricted about the prolapsed rectum.

Fissure of anus.

Prolapsus, ani, recti, after stool, during stool.

**Aggravation.**

Stool, after (prolapsus).

Stool, during (prolapsus).

**Concomitant.**

The head is covered with a thick, leather-like crust, under which thick white pus collects ; the hair is matted together ; the pus may become ichorous, offensive, and breed vermin. The crusts may have a chalky look.

Neuralgic pains in left side of face, extending to the temple ; the pain may come suddenly, and leave a sensation of numbness.

**Millef.****MILLEFOLIUM.****Yarrow.****Subjective.**

Aching, great pain.

**Objective.**

*Bleeding*, profuse.

Discharge, chronic blenorrhœa from atrophy of mucous membranes.

**Concomitant.**

Hæmorrhages from various organs (nose, lungs, bowels, bladder, uterus, external injuries).

Vertigo when moving slowly, but not when taking violent exercise.

Mosch.

**MOSCHUS ORIENTALIS.**

Musk.

**Subjective.**

Extending to bladder, stinging.

Stinging, stitches in anus, which extend to the bladder.

**Concomitant.**

Sweetish-smelling stool.

One cheek is red and cool while the other is pale and hot; one hand is burning hot and pale and the other red and cold.

Complaints that are relieved by the smell of musk.

Hysterical complaints; nervous chills; faintness.

Mur. ac.

**ACIDUM MURIATICUM.**Hydrochloric  
acid.**Subjective.***Aching, exceedingly painful, < least touch, even the sheet is insupportable.**Burning.**Crawling.**Cutting, shooting.**Itching, violent, and not > by scratching.***Sensitiveness, < walking, < riding, < touch.***Smarting, < during stool.***Soreness, < riding, < touch, < after stool.***Stinging, violent stitches.**Tenesmus; as soon as he moves strong urging to stool, compelling him to hurry.**Tickling.***Objective.***Bleeding, during stool.***Bluish, < after stool.***Discharge, moisture.***External, protruding, < after stool.***Inflamed.**Large, swollen.**Paralysis of sphincter.***Prolapsus, during loose stool, during micturition.***Swollen anus.*

**Aggravation.**

Diarrhoea, during (prolapsus).

*Evening.*

*Micturition, during (prolapsus).*

*Morning.*

*Motion (tenesmus).*

*Parturition.*

**Riding (sensitiveness, soreness).**

**Sitting.**

**Stool, after (bluish, external soreness).**

Stool, during (bleeding, smarting, prolapsus).

**Touch (aching, sensitiveness, soreness).**

**Walking (sensitiveness).**

**Wiping, after stool.**

**Amelioration.**

Bathing, warm.

**Concomitant.**

Children have sudden attacks of piles.

Stool involuntary while urinating, and on passing wind; cannot urinate without having the bowels move at the same time.

Great debility; as soon as he sits down his eyes close and his jaw hangs down.

**Nat. mur.**

**NATRUM MURIATICUM.**

**Common salt.**

**Subjective.**

Aching, painful, < evening.

Burning, < after stool.

Cutting, shootings.

Dryness.

Lumps.

Scraping, rasping.

Smarting.

Soreness.

Squeezing, as of constriction, during stool.

Stinging, stitches in rectum.

Tearing, during stool.

Tenesmus, urging to stool as soon as he moves.

Throbbing.

**Objective.**

Bleeding, < evening, < after hard stool.  
*Constriction*, contraction of anus, < *during stool*.  
 Discharge, humid, moist, oozing.  
*Eruption*, of herpes.  
 Excoriation.  
 External, < evening.  
 Fissure, torn, during stool.  
 Large, swollen.  
 Paralysis of sphincter.  
 Prolapsus of rectum. .

**Aggravation.**

*Evening* (aching, bleeding, external).  
 Motion (tenesmus).  
 Stool, after (burning).  
 Stool, during (squeezing, tearing, fissure, constriction).  
 Stool, *hard*, *after a* (bleeding).

**Concomitant.**

Herpes about anus, and on borders of hair at nape of neck.  
 Stool hard, difficult or crumbling.  
 Great emaciation, losing flesh, even while eating well.  
 Micturition may be involuntary when walking, coughing, and laughing, but he has difficulty in commencing to urinate in the presence of others.  
 Falling out of the hair.  
 Hang-nails; skin about the nails dry and cracked.  
 Dreams of robbers in the house, and will not believe to the contrary till search is made.  
 Fever-blisters, like pearls, about the lips; lips dry and cracked; upper lip swollen.  
 Scorbutic, putrid inflammation of the gums; the tongue feels very dry.  
 Great aversion to bread, of which she was once very fond; longing for salt.  
 Painful contraction of the hamstrings.  
 Persons who have been cauterized by nitrate of silver (throat, uterus, etc).  
 Disposition to weep; aggravated by consolation from others.  
 Headache, as though a thousand little hammers were

knocking in the brain ; of school girls ; on waking in the morning ; headache > by perspiration.  
 Face is greasy-looking.  
 Sensation as of a hair on the tongue.  
 Continuous, unsatiable thirst.  
 A discharge of thin, glutinous substance from the urethra after urinating.  
 Fluttering sensation about the heart ; palpitation.

**Nat. sul.                      NATRUM SULPHURICUM.      Glauber's salt.**

**Subjective.**

Itching.  
 Smarting in anus, before and during stool.

**Objective.**

Eruption, wart-like, on anus, excrescence, sycosis, warts.

**Aggravation.**

Stool, before (smarting)  
 Stool, during (smarting).

**Concomitant.**

Slimy taste in the mouth.  
 When lying on the left side the congested liver seems to pull and draw, and he has to turn back on the right side.  
 Panaritium ; suppuration around the roots of the nails ; "run-arounds."  
 Music makes him sad ; has to restrain himself to keep from committing suicide.  
 Asthma ; general bronchial catarrh ; < every change to damp weather ; purulent sputum ; has to hold the chest with both hands.  
 Thin, gushing stool, spluttering all over the vessel, in the morning after rising and moving about.

**Nit. ac.                      ACIDUM NITRICUM.                      Aqua Fortis.**

**Subjective.**

Aching, painful to touch, especially in warm weather, < after stool.  
**Burning**, < after stool.  
 Cutting, lancinating, sharp pain in rectum, < during



stool. The cutting pain in rectum lasts for hours after stool; < after loose stool.

**Fulness.**

**Heaviness, Pressure.**

Itching, in rectum.

*Long-lasting*, < after diarrhœa, cutting.

Soreness.

*Sticking.*

Stinging, stitches in rectum during stool.

Tearing, during stool.

Tenesmus, desire for stool; feels as if it stayed in rectum and could not be expelled; ineffectual urging to stool.

**Objective.**

*Bleeding* at every stool, bright-red blood, *fluid blood*, < *during stool*.

Blind piles that have ceased bleeding.

*Chronic*, old piles.

Constriction of sphincter, spasmodic contraction during stool.

*Discharge*, mucus, moisture, sero-croupous, after stool.

Eruption.

Excoriation.

*Excrescence.*

*External*, protruding after each stool, < during stool.

*Fissure, in anus*, in rectum.

**Fistula.**

**Large**, swollen.

Pendulous.

Prolapsus ani.

Ulcerated.

**Aggravation.**

Cough.

Diarrhœa, after (cutting).

*Micturition*, during.

Standing.

*Stool, after* (aching, burning, cutting, bleeding, discharge, external).

*Stool, during* (cutting, stinging, tearing, constriction, bleeding).

Touch (aching).

Walking.

Weather, warm (aching).

**Concomitant.**

Pains of a sticking, pricking character, as from splinters, coming and going suddenly, on change of weather, in ulcers, or in any part.

Affections due to mercury, syphilis, scrofula; broken down, cachectic constitutions.

Ozena, green crusts from the nose every morning.

Urine; scanty, dark-brown, strong-smelling like horse's urine; cold when it passes.

Ulcers; easily bleeding, sticking as from a sliver, < contact; zigzag edges, base like raw flesh, exuberant granulations.

Great sensitiveness of the head to rattling of wagons over paved streets, and against stepping hard; headache from pressure of the hat.

Cracking in ears on masticating.

Cracking of the joints.

Anxious about his disease.

Cadaverous smell from mouth, saliva fetid and acrid, mucous membrane of mouth swollen and ulcerated.

Condylomata.

Inflammation, swelling and suppuration of the glands.

**Nux.****NUX VOMICA.****Poison nut.****Subjective.**

*Aching, painful.*

Burning, after stool, lasting a long time.

Crawling.

*Cutting*, shootings.

Heaviness, pressure, after stool, after a meal, after exertion of the mind.

Itching.

Long-lasting, burning, smarting.

Sensitiveness, < touch.

*Smarting*, after stool, for a long time.

Soreness.

Squeezing, constricted feeling, after stool, after eating, from mental exertion, during stool.

Sticking, pricking.

Stinging, stitching.

Tearing.

Tenesmus, ineffectual urging to stool, after stool, during stool.

### Objective.

Bleeding.

*Blind.*

*Chronic.*

Discharge, pale blood after stool, moisture.

External, < after every stool.

Fissure.

Internal.

Suppressed, having been.

Swollen anus.

### Aggravation.

Alcoholic drinks.

Eating, after (heaviness, squeezing).

Malt liquors.

Mental excitement.

Mental exertion (heaviness, squeezing).

*Purgatives.*

Sedentary habits.

Stool, after (burning, heaviness, smarting, squeezing, tenesmus, discharge, external).

Stool, during (squeezing, tenesmus).

Stool, evening, after.

Suppressed, after being.

Touch (sensitiveness).

### Concomitant.

In persons of sedentary habits, addicted to the abuse of coffee, wine, liquors, spices, etc.

Hypochondriac, sullen mood; feels sick and cross about his disease.

Constipation with ineffectual urging to stool.

Stitches or shocks in small of back, with bruised pain, so that the patient is unable to raise himself; back-ache; must sit up in bed to turn over.

Habitual constipation, in persons who have taken a great deal of purgatives all their lives.

Debauchees of a thin, irritable disposition.

The patient is over-sensitive to external impressions; trifling ailments seem unbearable; to noise, smells, light, etc.

Cannot keep from falling asleep in the evening, while

sitting, hours before bed-time, and awakens at 3 or 4 A.M.; falls into a disturbed sleep at daybreak, from which he is hard to arouse, and then feels tired and weak.

Acrid coryza from the obstructed nose; or colds cause fluent coryza by the day, or when in a warm room; obstruction at night, or when out doors.

Great nausea with feeling that they would be better "if they could only vomit."

Hernia.

Increased secretion of smegma behind corona glandis. Chilly from being uncovered; blue nails with chilliness.

Jaundiced skin; aversion to food; faint feelings.

**Pæon.**

**PÆONIA OFFICINALIS.**

**Peony.**

**Subjective.**

Aching, intolerable pain on going to stool, and after, painfulness of ulcer.

**Objective.**

Discharge, fetid moisture.

Fissure.

Swollen anus, orifice swollen.

Ulcerated, a painful ulcer at anus.

**Aggravation.**

Stool, after (aching).

Stool, during (aching).

**Concomitant.**

Has to walk the floor on account of pain at anus.

The stool is pasty.

Ulcers; on the jaw; instep; lower part of leg; mammae; on perinæum; the ulcers are painful, oozing offensive moisture.

**Petrol.**

**PETROLEUM.**

**Rock oil.**

**Subjective.**

Burning.

Extending to penis, stinging.

Itching.  
 Paralysis, as of, weak feeling in rectum.  
 Smarting.  
 Stinging, stitching, extending to penis.  
 Tenesmus, urgent desire for stool, waking him early  
 in morning.  
 Tickling, titillation.

**Objective.**

Boils.  
 Chronic.  
 Discharge, moisture of excrescences.  
*Eruption*, scurf on border of anus, on perinæum.  
 Excrescence on, and in the anus, irregular shaped.  
*Fissures*.  
*Fistula*.

**Aggravation.**

Morning, waking him (tenesmus).

**Concomitant.**

Nausea from riding in a carriage, car or boat.  
 Moisture and itching about the genitals, either sex.  
 Rhagades of hands, especially finger tips, every  
 winter.  
 Dreams that somebody is lying in bed with him.  
 The skin is hard to heal; itching, sore moist places.  
 Dribbling of urine after micturition.  
 Sensation of coldness about the heart.  
 Pressure in occiput; pain extending from occiput to  
 vertex or forehead, the head feels numb, as if made  
 of wood.

**Phos.****PHOSPHORUS.****The Element.****Subjective.**

Aching, painful, < lying, < sitting.  
 Burning, < sitting, < walking, in rectum, after stool.  
 Cramping pain.  
 Cutting, severe lancinating.  
 Fulness.  
 Heaviness, pressure, < rising.  
 Itching, during menses.  
 Open, as if, anus.

*Smarting.*

Soreness, < sitting.

Sticking, < during menses.

Stinging, < rising.

### Objective.

*Bleeding*, dark, coagulated blood, *with each stool, in a small stream.*

Constriction, of sphincter, stricture, spasm of anus or rectum.

*Discharge*, of pus, mucus and blood.

*External*, protrudes during emission of flatus, < after stool, < during stool.

Fissure.

*Internal.*

*Open*, The anus stands open all the time.

Paralysis of sphincter.

Suppressed, having been.

Ulcerated anus and rectum.

### Aggravation.

Flatus, emission of, during (external).

Lying (aching).

*Menses*, during (itching, sticking).

*Rising* (heaviness, stinging).

*Sitting* (aching, burning, soreness).

Stool, after (burning, external).

Stool, during (*bleeding*, external).

Suppressed, after being.

Walking (burning).

### Concomitant.

Constipation ; fæces slender, long, tough and hard, and voided with difficulty.

Old people with morning diarrhœa.

Sensation of emptiness in the head, stomach, or abdomen.

Dimness of vision.

Hardness of hearing, but particularly of the human voice.

Necrosis of the (left) lower jaw.

Tongue and throat dry and glistening.

Raising of ingesta in mouthfuls.

Vomiting, of what has been drunk when it becomes warm in the stomach ; from placing the hands in

warm water; at sight of water, must close the eyes while bathing.

Hoarseness; loss of voice; great painfulness of the larynx preventing talking.

Cough, dry, from tickling in the throat and chest; or tight and racking; from cold air; from reading aloud; from talking; from laughing; from lying on the left side or on the back. Sputum frothy; rusty colored; streaked with blood; cold mucus; salt tasting.

Sensation of heat in the back, beginning low down and going up; or of coldness which commences high up and runs down.

Great emaciation.

Nervous debility and trembling of the limbs.

Tall, lean, narrow-chested people, with dark hair.

Perspiration smelling of sulphur.

Hæmorrhagic diathesis; bleeding easily from the nose, gums, throat, lungs, bowels, uterus, or small wounds. Petechia.

**Phos. ac.                    ACIDUM PHOSPHORICUM.    Phosphoric acid.**

### **Subjective.**

*Aching*, intolerable pains when sitting, very *painful*.

Burning, < touch.

Itching.

Smarting.

Soreness, < lying.

Tearing.

Tenesmus.

### **Objective.**

Bleeding, < during stool.

External, < *during stool*.

Internal.

Paralysis of sphincter.

### **Aggravation.**

Lying (soreness).

Sitting (aching).

*Stool, during* (bleeding, *external*).

Touch (burning).

**Concomitant.**

Indifference.

Pale, sickly complexion, sunken eyes, surrounded by blue margins.

A great deal of pale urine is passed, urine like milk or whitewash.

Bad effects from onanism or sexual excesses, frequent, involuntary and very debilitating emissions.

Weakness of legs; he falls easily from a misstep.

**Physos.**

**PHYSOSTIGMA.**

**Calabar bean.**

**Subjective.**

Aching, painful, < sitting, < walking.

Burning, < night.

Soreness.

Stiffness.

**Objective.**

Bluish.

External.

Indurated.

Swollen anus.

**Aggravation.**

Night (burning).

Sitting (aching).

Walking (aching).

**Concomitant.**

Drawing sensation in the eyes; the axis of eyes become different; increasing myopia.

Sighing respiration.

Palpitation of heart, and pulsation all over.

A perfect horror of cold water, either for drinking or bathing, although usually fond of both.

**Phytol.**

**PHYTOLACCA DECANDRA.**

**Poke.**

**Objective.**

Bleeding.

Chronic.

Fissure.



**Concomitant.**

With every cold which affects the throat there is at least one of the following symptoms: great pain at root of tongue on swallowing; burning heat as from a coal of fire; dryness; difficult swallowing, with trembling of the hands; sensation of a lump in the throat, with continuous desire to swallow.

Inflammation, swelling, and suppuration of the mammæ; fulness, soreness, and stony hardness of right breast, which is sensitive to touch.

**Plant.****PLANTAGO MAJOR.** Greater plantain.**Subjective.**

Burning, < afternoon.

Fulness.

Heaviness, pressure, < afternoon.

**Objective.**

Excoriation.

Prolapsus, during stool.

**Aggravation.**

*Afternoon* (burning, heaviness).

• Stool, during (prolapsus).

**Concomitant.**

Bad effects of excessive use of tobacco; irritable; morose; impatient; restless; stupid feeling in the brain.

Great mental prostration, which is increased by mental exertion, with rapid breathing and anxiety.

**Plat.****PLATINUM METALLICUM.****Platinum.****Subjective.**

*Crawling.*

Itching.

Tenesmus, frequent urging, expels only a small portion of stool, < evening.

Tingling, in evening.

**Objective.**

Bleeding.

*External*, < during stool.

**Aggravation.**

Evenings (tenesmus, tingling).  
Stool, during (external).

**Concomitant.**

Stools adhere to rectum and anus like soft clay.  
Haughty appearance, inclined to "look down upon" others.  
Painful sensitiveness of female genitals; coition is painful; cannot bear the napkin to touch her.  
Hæmorrhage in clots, with uterine fibroids, etc.

**Plumb.****PLUMBUM METALLICUM.****Lead.****Subjective.**

Aching, terrible pain, extending upward, from spasm of anus.  
Extending upward, aching.  
Itching, < straining at stool.  
Retracted, anus feels as if, as if drawn upward.  
Squeezing.  
Tenesmus.

**Objective.**

Constricted sphincter, spasm of anus.  
Fissure of anus.  
Prolapsus ani.  
Retraction of anus.

**Aggravation.**

Stool, straining at (itching).

**Concomitant.**

Constipation; stools hard, lumpy, like sheep-dung.  
A purple-colored, thin border on the gums next the teeth.  
A sensation in abdomen at night, which causes the patient to stretch violently for hours, must stretch in every direction.  
Violent abdominal colic, sensation as if it was drawn by a string toward the back.  
Paralysis.  
Painter's colic.

Podo.

**PODOPHYLLUM PELTATUM.**

Mandrake.

**Subjective.***Aching, painful.*

Burning.

Tenesmus, severe straining.

**Objective.**

Bleeding.

Blind.

*Chronic.*

Discharge, thick, transparent mucus, bloody mucus.

Excoriation.

Inflamed.

**Internal.**

Large, swollen.

**Prolapsus ani**, < before stool, during and after confinement, followed by stool or discharge, *after stool*.**Aggravation.**

Exertion (prolapsus).

Parturition (prolapsus).

*Stool, after* (prolapsus).

Stool, before (prolapsus).

**Concomitant.**

Diarrhœa of long standing, &lt; in the morning.

Prolapsus uteri; with subinvolution; from constipation, from over-lifting, or straining.

Headache, alternating with diarrhœa.

The patient is constantly rubbing and shaking the hypochondriac region with his hands.

Psorn.

**PSORINUM.**

(The Nosode.)

**Subjective.**

Burning, &lt; stormy weather.

Soreness, in rectum, in anus, when riding.

Tenesmus, desire for stool while riding.

**Objective.**

Bleeding, large quantities with difficult stool.

**Aggravation.**

Riding (soreness, tenesmus).  
 Stool, difficult (bleeding).  
 Weather, stormy (burning).

**Concomitant.**

Constipation, with backache.  
 Psoric constitutions; lack of reaction from disease,  
 the appetite does not return.  
 Despair of recovery.  
 Body has a filthy smell, even after bathing.  
 Over-sensitive to cold air; wears a fur cap, or wrap,  
 even in warm weather.  
 Cough returns every winter.  
 Eructations, tasting like rotten eggs.  
 All excretions are very offensive (stool, leucorrhœa,  
 menstruation, perspiration).  
 Sensation as if he had received a heavy blow on the  
 forehead, wakening him at night.  
 Stitches in the region of the spleen.  
 Hunger in the middle of the night, must have some  
 bread to eat.  
 Dyspnœa, worse when sitting up, better lying down;  
 asthma > lying down with the arms stretched far  
 apart.  
 Profuse perspiration after acute diseases.  
 So weak he must lie down.  
 Dirty, greasy-looking skin.  
 Evil consequences of suppressed itch, or skin diseases.  
 Humid, offensive eruptions.

**Puls.****PULSATILLA.****Wind flower.****Subjective.**

**Aching**, painful  
 Burning.  
 Cutting, shooting.  
 Heaviness, pressure.  
**Itching**, < evening.  
 Scraping, rasping.  
**Smarting**.  
**Soreness**.  
 Sticking.

Stinging.

Tenesmus, desire insufficient or ineffectual.

### Objective.

*Bleeding*, at every stool.

*Blind*, < during menses.

Discharge, mucous with every stool, moist.

**External**, < during stool, protruding.

Fistula.

**Internal**, < **evening**.

Large, swollen.

Paralysis of sphincter.

Suppressed, having been.

### Aggravation.

**Evening** (itching, internal).

*Evening*, toward.

Menses, during (blind).

Motion.

Stool, during (bleeding, discharge, external).

Suppressed, after being.

Wiping, after stool.

### Concomitant.

Fainting spells.

Dryness and bad taste in mouth every morning.

Vertigo on rising from a sitting posture.

Mild, bashful, yielding, tearful disposition; undecided; weeps while telling her complaint.

Chilliness in a warm room.

Often has styes, especially on upper lids.

Lachrymation in the wind.

Otalgia, otorrhœa, deafness.

Green, fetid discharge from the nose.

Coryza, with loss of smell and taste.

Toothache, > holding cold water in the mouth, < from warm things and from heat of room.

Absence of thirst.

Putrid taste.

Disordered stomach, from fat or rich food.

Dysentery, with pains in back.

Incontinence of urine.

Menses late, scanty, very painful, irregular, short duration, suppressed.

Hoarseness.

Cough, which is very troublesome on lying down at night, > sitting up.

Difficult breathing accompanies diseased conditions in parts not involved in the act of breathing.

Sputum salty, offensive, thick.

Rheumatic or arthritic pains, wandering about.

Sleeps with her arms over her head.

Chilblains.

Nearly all symptoms are < in a warm room; on beginning to move; lying on the left side; lying on the painless side; toward evening.

The pains shift rapidly from one part to another, symptoms ever changing, accompanied by chilliness; pain may increase gradually until very severe, and then "let up with a snap."

Patients who have taken much quinine, even if years before.

**Ratan.**

**KRAMERIA TRIANDRA.**

**Ratanhia.**

### **Subjective.**

Aching, painful.

Burning, before loose stool, during loose stool, like fire.

Sensitiveness, < touch.

Tenesmus, straining and pressing.

### **Objective.**

Bleeding.

Discharge, oozing.

External, protrusion after hard stool, < *after stool*, < during stool.

Fissure.

### **Aggravation.**

Diarrhœa, before (burning).

Diarrhœa, during (burning).

*Stool, after* (external).

Stool, during (external).

Stool, hard, after (external).

Touch (sensitiveness).

### **Concomitant.**

Violent hiccough, so that the stomach is painful.

A collection of tasteless water in the mouth.

. **Rhus.****RHUS TOXICODENDRON.****Poison oak.****Subjective.**

Aching, painful, &lt; during stool.

Crawling.

Heaviness, pressure as if everything would come out,  
< night, < from a cold, < from a strain, < rest.

Itching.

Smarting.

*Soreness.*

Tenesmus, during stool.

Tension.

**Objective.**

Bleeding, periodical, profuse.

*Blind.*

Discharge.

*External, < after stool, protruding.*

Fissure of anus.

Internal.

Paralysis of sphincter.

Prolapsus ani.

**Aggravation.**

Alcoholic drinks.

Cold, from a (heaviness).

Lifting, after.

Malt liquors.

Night (heaviness).

Rest, during (heaviness).

*Stool, after (external).*

Stool, during (aching, tenesmus).

Strain, from a (heaviness).

Wet, after getting.

**Concomitant.**

Rheumatic diathesis.

Pain in the small of the back, as if bruised, when lying  
or sitting still; going off when moving about for a  
time.Bad effects from being wet, especially if when heated,  
from sprains or strains, lying on damp ground.

Restlessness, cannot stay long in one position.

Inflammation, swelling and agglutination of eyelids.

Parotid glands swollen, and appear as if suppurating.  
Fever-blisters about the mouth.

Tearing pain down the posterior part of limbs during stool.

Stiffness of neck, with painful tension on motion.

Pain in small of back when sitting still or lying; relieved by lying on something hard or by continued exercise.

Erysipelatous inflammation and swelling, with vesicles.

General aggravation of pains, before a storm, in damp weather, at night, particularly after midnight.

Pain in back between the shoulders on swallowing.

**Rhus. v.**

**RHUS VENENATA.**

**Poison sumach.**

**Subjective.**

Burning.

Cutting, neuralgic pain.

*Itching*, extreme itching, < toward night.

**Objective.**

Bleeding, after stool.

Small.

**Aggravation.**

Evening (itching).

Stool, after (bleeding).

**Concomitant.**

Erysipelatous inflammation and swelling, of head, face, ears, nose, scrotum; vesicular or phlegmonous in character.

Constant desquamation of the cuticle of palms of hands and fingers.

**Rumex.**

**RUMEX CRISPUS.**

**Yellow Dock.**

**Subjective.**

Aching, painful, on walking.

Extending to left groin, cutting.

Cutting, extending to left groin.

*Itching*.



Lump, as of a foreign body in anus.  
 Shocks, shooting like electric shocks.  
 Sticking, pressure as of a stick in rectum.  
 Tenesmus, sudden urging driving him out of bed in the morning.

**Objective.**

External.

**Aggravation.**

Morning, bed, before rising from (tenesmus).  
 Waking (aching).

**Concomitant.**

Morning diarrhœa, with cough from tickling in the throat pit.  
 Sensation of a lump in the throat; it descends on swallowing but immediately returns.  
 Voice hoarse, but higher than usual; nasal voice.  
 Cough, unless he keeps the mouth covered to exclude the air.  
 Much tenacious mucus in the throat or larynx, with constant desire to swallow.

Ruta.

RUTA GRAVEOLENS.

Rue.

**Subjective.**

Stinging, stitches in the rectum, < when sitting.  
*Tearing.*  
 Tenesmus, frequent unsuccessful urging to stool.

**Objective.**

*Prolapsus, protrusion of the rectum*, immediately on attempting a passage, before stool.

**Aggravation.**

Sitting (stinging).  
 Stool, before (prolapsus).  
 Stool, straining at (prolapsus).

**Concomitant.**

Constipation alternating with mucous, frothy stool.  
 Pains in the eyes as if they had been strained. Bad effects from straining the eyes; by reading too much, or reading in a bad light; from sewing, especially on fine work at night; watch-making, engraving, etc.

Pressure on bladder as if constantly full ; the pressure to urinate continues after micturating ; could hardly retain the urine on account of urging, yet if not attended to it was difficult, afterward, to void it.

Injuries of bones and periosteum.

**Sab.**

**SABINA.**

**Savine.**

**Subjective.**

Aching, painful, < morning.

Crawling.

**Objective.**

Bleeding, bright red blood.

Excrescence.

**Aggravation.**

Morning, aching.

**Concomitant.**

Hæmorrhages from the womb, of partly pale-red, partly clotted blood ; < from least motion, has to lie perfectly quiet. Tendency to have miscarriages at about third month.

Stitches backward deep in the vagina.

Pain, which is felt from the sacrum to the pubes ; with dysmenorrhœa, metrorrhagia, etc., followed by great lassitude and heaviness.

**Sacch.**

**SACCHARUM ALBUM.**

**White sugar.**

**Subjective.**

*Aching, painful.*

Crawling, creeping, about anus, extending up into the rectum 3 inches ; better for a time by rubbing.

Cutting, shooting pains in rectum.

Extending upward, crawling, soreness.

*Fulness.*

Heaviness, constant pressure, waking her at night.

Lump, as though there was a great ball in the rectum.

Soreness, great soreness around anus extending 3 inches up into rectum, constant, waking her at night.

*Tenesmus*, much straining, ineffectual urging to stool;  
 < night on undressing.  
 Throbbing in rectum.

**Objective.**

Bleeding.  
 Inflamed.  
 Large, swollen.

**Aggravation.**

Night (soreness, heaviness).  
 Night, undressing, on (*tenesmus*).

**Amelioration.**

Rubbing (crawling).

**Concomitant.**

Cross and fault-finding, could not speak a pleasant word to any one.  
 Desire for dainties.  
 Constipation.  
 Frequent and violent urging to urinate, with passage of a large quantity each time.  
 Extreme soreness of labia and entrance to vagina.  
 Skin under nails looks dirty, it cannot be washed or scraped off.  
 Impossible to lie straight in bed, finds herself continually lying diagonally across the bed.

**Sang.**

**SAGUINARIA.**

**Blood root.**

**Subjective.**

Lump, as of a mass of stool in the rectum.  
*Tenesmus*, ineffectual urging to stool.

**Concomitant.**

Sick headaches; the pain ascends from the neck, and is especially severe over the right eye; > by sleep or after vomiting.  
 Neuralgia of face, > only by kneeling down and pressing the head firmly against the floor; the pain extends in all directions from the upper jaw.  
 Dry cough, waking him at night, and not ceasing until he sits upright in bed and flatus is discharged, both upward and downward.  
 Rheumatic pain in the right shoulder.

Secal.

SECALE CORNUTUM.

Ergot.

**Subjective.***Aching, painful.***Objective.***Constricted sphincter.**Open, anus stands wide.**Paralysis of sphincter.***Concomitant.***Pale sunken countenance.**Thin, scrawny, wrinkled people, especially females; old, decrepit persons.**Hæmorrhagic diathesis; bleeding from uterus; or from the slightest wound, for weeks; blood is thin, black, or watery.**Burning in the skin, as if sparks of fire were falling on the patient.**Gangrene; dry; senile; < from external heat.**Large ecchymosis; blood-blisters.**The skin feels cold to the touch, yet the patient will not tolerate covering.*

Sep.

SEPIA SUCCUS.

Cuttle fish.

**Subjective.***Aching, painful, < after stool, < during stool, < touch, < walking, lasting long after stool, extending to genitals.**Burning, heat.**Crawling.**Extending to genitals, aching.**Extending up, stinging.**Heaviness, weight.**Itching.**Long-lasting, aching.**Lump, ball, plug, in anus, not > by stool.**Smarting.**Stinging, extending upward.**Tearing.**Tenesmus, straining pain, unsuccessful urging to stool.**Tension.*

**Objective.**

Bleeding, < walking.

Discharge, oozing of moisture, almost constant.

Eruption.

*External*, protruding, < during stool, < after stool,  
even if stool is soft, < walking.

Fissure.

Fistula.

Indurated, hardened.

Internal.

Large, swollen, congested.

*Prolapsus ani*, during stool, < after stool.

**Aggravation.**

Eating dinner, after.

Milk, after drinking.

*Stool, after* (aching, external, prolapsus).

*Stool, during* (aching, external, prolapsus).

Touch (aching).

Walking (aching, bleeding, external).

**Concomitant.**

Sadness and weeping.

Hemicrania (mostly left side), > by rest, when closing the eyes, and by sleep, when enough of it can be had.

Large lumps of yellowish green mucus blown from the nose.

A yellow saddle across the nose.

Sensation of emptiness in the stomach, or chest.

Frequent urging to urinate; involuntary micturition at night, especially in the early part of night.

Pressure as if everything would protrude from the female sexual organs; a feeling that she must keep the limbs tightly crossed, or "sit close," to prevent something from coming out, prolapsus uteri.

Violent stitches upward in the vagina.

Leucorrhœa; yellowish; greenish; offensive; purulent.

Ring-worm, brown spots.

Pains extending from other parts to the back; and attended with shuddering.

A clay-colored sediment is deposited from the urine; and it adheres to the vessel as if it had been burnt

on ; the urine is so putrid smelling that it cannot be suffered to remain in the room.  
 Lancinating pain from the uterus to the umbilicus.  
 Nearly every form of irregular menses when associated with symptoms named above (early, late, profuse, scanty, amenorrhœa, or menorrhagia).  
 Itching of the skin in various parts ; also of vulva ; the itching is not relieved by scratching, and is apt to change to burning instead.  
 Aggravations from : laundry-work ; sexual excesses ; mental work ; eating strawberries.

**Sil.****SILICEA.****Pure flint.****Subjective.**

*Aching, extremely painful*, extending upward, extending to testicles.

Boring, extending to rectum, extending to testicles.

*Burning*, after a hard, dry stool.

Coldness.

Cramping pain.

Crawling, from anus to rectum and to testicles.

Extending to genitals, stinging.

Extending to ribs, under, stinging.

Extending to testicles, aching, boring.

Extending upward, aching, boring.

*Itching*.

Sensitiveness, painful sensitiveness.

**Soreness.**

Squeezing, sensation of constriction in anus, < touch, < during stool.

*Stinging*. stitches, on walking, extending to genitals and under ribs.

*Tenesmus*, constant, but ineffectual desire for stool.

*Tension*, at anus.

**Objective.**

**Discharge**, moisture, bloody, mucous discharge.

*External*, protruding, **during stool**, difficult to replace.

*Fissure*.

**Fistula.**

Inflammation.  
 Strangulated, incarcerated.  
 Suppurating.  
 Ulcerated.

### Aggravation.

*Stool, dry, after* (burning).  
**Stool, during** (external, squeezing).  
 Stool, hard, after.  
 Touch (sensitiveness).  
 Walking (stinging).

### Concomitant.

Chest symptoms, with fistula in ano (use cautiously for fear of producing suppuration).  
 Aching and throbbing in lumbo-sacral region.  
 Sweat of hands, feet and axillæ, offensive.  
 Constipation; stools large, and composed of hard lumps; expulsion difficult as from inactivity of rectum; when partly expelled the stool recedes.  
 The stool remains a long time in the rectum.  
 Headache, ascending from the neck to the forehead;  
     < from draft of air, or uncovering the head; wants it wrapped up warmly; takes cold there.  
 Vertigo ascending from back of neck to head.  
 Eruption on occiput; itching.  
 Swelling of the tear duct; fistula.  
 Discharge of pus from the ears.  
 Discharge of blood from vagina every time the child takes the breast.  
 Sputum is purulent; sinks to bottom when thrown in water, and spreads like a heavy sediment; Or expectoration of little granules, size of a shot, which when broken smell offensively.  
 Glandular swellings, with tendency to suppuration.  
 Ingrowing toe-nails.  
 Caries.  
 The skin heals slowly; small injuries suppurate.  
 Ulcers of all kinds; offensive; proud-flesh in them; painful; high, spongy edges; fistulous.  
 Panaritium; blood boils; carbuncles.  
 Bad effects from vaccination.

**Staph.****STAPHISAGRIA.****Lark-spur.****Subjective.**

Burning.  
 Cutting.  
 Heaviness.  
 Itching.  
 Splitting, as if.  
 Tenesmus, < after stool.

**Objective.**

Eruption.  
 Excrescence.

**Aggravation.**

Sitting.  
 Stool, after (tenesmus).

**Concomitant.**

Ailments from indignation with vexation, or re-  
 strained displeasure.  
 Pressure in the forehead, as from a heavy lump, which  
 cannot be shaken off.  
 Styes.  
 Countenance sunken, guilty abashed look.  
 The teeth become black and exfoliate; black streaks  
 in them.  
 Bad effects from sexual excesses or masturbation.  
 Craving for tobacco.

**Stront.****STRONTIANA CARBONICA.****Carbonate of  
Strontian.****Subjective.**

Aching, painful.  
 Burning, at anus, long after stool.  
 Long-lasting, burning.  
 Squeezing, contractive sensation in rectum after stool.  
 Tenesmus, violent urging to stool.

**Objective.**

Internal.

**Aggravation.**

Stool, after (squeezing).



**Concomitant.**

Violent, involuntary starts of the body.  
Aversion to undressing, although too warm.

**Sul.****SULPHUR.****Brimstone.****Subjective.****Aching.**

**Burning**, < night, < touch, < *during stool*, < after loose stool, < **walking**, < after stool.

Crawling, as from worms.

**Cutting**, lancinating, extending upward, < after stool, **shootings**, < **during stool**.

Extending upward, cutting.

**Fulness.**

Heaviness, pressure in rectum, < *during stool*.

**Itching.**

Lump, as of a.

*Painless.*

Smarting, biting in rectum.

*Soreness*, margin of anus, sore pain, can neither lie nor sit on account of it.

Sticking, can neither lie nor sit on account of it.

**Stinging**, single violent stitches, *during stools*, when not having stools, < evening, arresting breathing, making him start, stitching pains.

*Tenesmus*, constant ineffectual for stool, continuing after stool, waking him up early in the morning, violent at night, noon, after waking.

Throbbing, pulsating pain in anus, < after stool.

Tickling.

**Objective.**

**Bleeding**, with every, even soft, easy stool, dark blood, < *during stool*.

*Blind.***Chronic.**

**Discharge**, moisture, < after stool.

Eruption.

*Excoriation.*

**External**, < *during stool*, protruding.

Fissure.

*Fistula.*

*Inflammation.*

*Internal.*

**Large**, swollen, < **night**.

Paralysis of sphincter.

*Prolapsus ani*, during stool, < *after hard stool*, after stool.

Strangulated.

**Suppressed**, having been.

*Swollen anus.*

### **Aggravation.**

*Afternoon.*

Alcoholic drinks.

Breathing (stinging).

*Diarrhœa*, *after* (burning).

*Diarrhœa*, *during*.

*Evening* (stinging).

*Lying* (soreness, sticking).

**Malt liquors.**

*Morning.*

*Morning*, waking him (tenesmus).

**Night** (burning, **large**, tenesmus).

*Retracting anus.*

*Sitting* (soreness, sticking).

*Sitting*, *after*.

*Sitting*, forenoon.

*Sitting*, noon.

*Sleep*, noon, *after* (tenesmus).

**Stool**, **after** (tenesmus, cutting, throbbing, **discharge**, prolapsus, burning).

*Stool*, *before*.

*Stool*, *during* (stinging, **bleeding**, prolapsus, *Cutting*, burning, eternal, heaviness).

*Stool*, evening, *during*.

*Stool*, *hard*, *after* (prolapsus).

*Stool*, insufficient, *after*.

*Stool*, morning, *after*.

**Suppressed**, **after**, **being**.

Suppressed bleeding.

Suppressed, sulphur, by.

**Touch**, (burning).

**Walking**, (burning).

**Concomitant.**

Inability to stand erect; stoops over very much.  
 Sudden hunger, with faint feeling before noon.  
 Colic, palpitation, and congestion of lungs from suppressed piles.  
 Weak, faint spells when standing or walking.  
 The odor of the stool sticks to him as if he had soiled himself.  
 Scrofulous persons, who may be "dirty looking" and prone to skin affections.  
 Has had skin trouble of some sort, and had it suppressed by ointments; even if years before.  
 Aversion to being washed; feels worse after a bath.  
 Constant heat in the vertex; cold feet, and may be with burning soles, which feel so hot at night that he has to put them out of bed.  
 Violent cramps in calves of legs at night; often in old people.  
 Diarrhœa, after midnight; painless; driving him out of bed early in the morning; as if the bowels were too weak to retain their contents.  
 Nightly suffocative fits; wants the doors and windows open.  
 Passes large quantities of colorless urine.  
 Rheumatic pains in the left shoulder.  
 On going to sleep he makes an involuntary sudden jerk all over.  
 Becomes suddenly wide awake at night.  
 Complaints are constantly returning; gets almost well then he relapses.  
 Flushes of heat all over.  
 Almost all skin affections that have been treated by medicated soaps and washes; itching < from heat of bed.

**Sul. ac.****ACIDUM SULPHURICUM.****Oil of vitrol.****Subjective.**

Aching, painful, < touch.  
*Burning*, violent burning, < during stool.  
*Itching*, severe itching.  
*Moist, as if, damp sensation.*

Pinching, in anus, violent.  
 Soreness, < touch.  
*Stinging*, < during stool.  
 Tearing.

### Objective.

Discharge, moisture.  
 External.  
 Large.

Stool, preventing; the hæmorrhoidal tumors are so large they obstruct the stool.

### Aggravation.

Stool, during (burning, stinging, tearing).  
 Stool, night, after.  
 Stool, night, during.  
 Touch (aching, soreness).

### Concomitant.

Feels in a great hurry, and that everything must be done quickly.  
 Sensation as if the brain was loose in forehead and falling from one side to the other.  
 Ptyalism; profuse, metallic tasting saliva, aphthæ.  
 Water drank causes cold of the stomach unless mixed with some alcoholic liquor.  
 Sensation as if trembling all over, with debility.  
 Ecchymosis, an injured part also becomes "black and blue" and it seems as though it might mortify.  
 Stringy, lemon-yellow mucus hangs from the posterior nares into throat.

**Sumb.**

**SUMBUL.**

**Musk root.**

### Subjective.

Aching, painful when walking, in morning.  
 Discomfort, uneasy feeling.  
 Dryness, as of.  
 Heaviness, sensation as if protruding, < after stool.  
 Open, as if anus was, < after stool.  
 Smarting, raw sensation, during stool.  
 Sticking.  
 Tenesmus, frequent.

**Aggravation.**

Mental excitement.  
 Morning (aching).  
 Stool, after (heaviness, open, as if).  
 Stool, during (smarting).  
 Walking (aching).

**Concomitant.**

Constant swallowing; constriction at top of œsophagus; spasm of pharyngeal muscles; tenacious mucus in throat.  
 Tendency to faint from the slightest cause.

**Syphil.**                    **SYPHILINUM (LEUSINUM).**    (The Nosode).

**Subjective.**

Aching, dragging in rectum constantly, extending up as far as the sacrum.  
 Extending upward, aching.  
 Itching, slight.  
 Sensitiveness, on touch.  
 Soreness.  
 Squeezing, rectum feels as if tied up with strictures.

**Objective.**

Discharge, moisture.  
 Fissure, in anus, in rectum.  
 Prolapsus, the lower portion of rectum hangs out; the prolapsus has a ruffled appearance, like a full blown rose, fully 3 inches in diameter.  
 Ulcerated, two indurated ulcers at mouth of anus.

**Aggravation.**

Touch (sensitiveness).

**Concomitant.**

When an injection was given for constipation the agony was like child-birth.  
 Old headaches, many forms, when the pain is regularly < from sun-set to sun-rise.  
 Great loss of hair.  
 Tendency to drunkenness; drinks very heavily.  
 Exceedingly profuse leucorrhœa, soaking through napkins and running down to the heels.

Great debility and continued night-sweats.

Bone pains at night.

Nearly all complaints are < from sun-set to sun-rise.

Old syphilitics should receive this remedy at commencement of treatment; any patient who has had chancre treated by local means and been subject to throat troubles for years afterward.

Paralysis; of the optic nerve; upper eyelids; face; tongue; extremities.

**Tart.                    ANTIMONIUM TARTARICUM.    Tartar emetic.**

### **Subjective.**

Crawling.

Extending downward.

Extending upward, stinging.

Stinging, extending up.

### **Concomitants.**

Nausea and vomiting are frequently complained of; relishes his dinner but has spells of feeling sick at stomach after it.

Suffocative attacks of breathing; rattling cough; great accumulation of mucus in trachea which rattles there, but not much comes up.

Sleepy feeling in day time, with yawning.

Eruption of pustules, which are very large, and have a red areola, similar to that of variola, forming crust and leaving cicatrices.

Ill humored.

Face has a bluish hue.

Trembling of the hands.

Precordial anxiety; pulse rapid, weak, trembling.

**Tereb.                    TEREBINTHINA.            Oil of Turpentine.**

### **Subjective.**

*Burning*, in rectum and anus, after stool.

Crawling.

**Aggravation.**

Stool, after, burning.

**Concomitant.**

The urine has the odor of violets.

Tongue smooth, glossy, as if deprived of papillæ.

Distended abdomen.

Hæmaturia; blood thoroughly mixed with the urine;  
sediment like coffee-grounds.

**Therid.**

**THERIDION CURASAVICUM.**

**Orange  
spider.**

**Subjective.**

Aching, painfulness, < sitting.

Heaviness, < every step.

Lump, < every step.

Squeezing.

**Objective.**

Prolapsus, protrusion of anus.

**Aggravation.**

Sitting (aching).

Walking (heaviness, lump).

**Concomitant.**

Time seems to pass too quickly.

Vertigo; on closing the eyes; from any noise.

Nausea from least motion, and especially on closing  
the eyes.

Headache; when beginning to move; as of a dull,  
heavy, pressure behind the eyes; violent, deep in  
the brain; < lying down; very much < from others  
walking on the floor, and from least motion of head;  
periodic.

Every sound seems to penetrate through the whole  
body causing nausea and vertigo; noise causes  
toothache.

Pains in the bones, all over, as if broken.

Chronic nasal catarrh; discharge thick, yellow, green-  
ish, offensive.

Thuja.

THUJA OCCIDENTALIS.

Arbor vitæ.

**Subjective.**

**Aching**, *painful*, < **touch**, even slightly, < during stool, so much so that he had to desist.

**Burning**, violent on walking, < **evening**.

Extending upward, stinging.

Extending to urethra, stinging.

Fulness.

Fulness alternating with emptiness.

Heaviness.

*Itching*, < forenoon, < walking.

Sensitiveness to touch.

Soreness.

Squeezing, compressed sensation, < forenoon.

*Stinging*, extending to urethra, extending upward, < P.M., on walking.

Tearing.

Tenesmus, ineffectual, pressure, < **evening**, < **forenoon**, < sitting.

**Objective.**

Bleeding, > during menses.

Constricted sphincter.

Discharge, oozing from anus.

External, < P.M. on walking.

*Excrescence*, sycosis, *warts* around anus.

Fissure of anus.

Fistula.

*Large, swollen.*

Sweat (at anus.)

**Aggravation.**

**Evening** (burning, tenesmus).

**Forenoon** (squeezing, itching, tenesmus).

Morning.

Sitting (tenesmus).

Stool, during (aching).

**Touch** (aching, sensitiveness).

Walking (burning, itching).

Walking, afternoon (external, stinging).

**Amelioration.**

Menses, during (bleeding).



**Concomitant.**

Ineffectual urging to stool, with erections of penis.  
 Bad effects from vaccination.  
 Sweat only on uncovered parts.  
 Headache on the left side, as if the convex part of a button were being pressed there.  
 Deafness, with sensation as if the inner ear were swollen, with perhaps an actual narrowing of the canal by swelling.  
 Movements in the abdomen as of something alive there.  
 Stool loose, forcible with much noisy discharge of flatulence.  
 Sensation after micturating as if urine was trickling down urethra.  
 Perspiration smelling like honey on the genitals.  
 When walking the limbs feel as if made of wood; sensation as if the body, especially the limbs, were made of glass and would break easily.  
 Excrescences; sycotic; condylomatous; warty.  
 Checked gonorrhœa causing; articular rheumatism; prostatitis; sycosis; impotence.  
 Nails; deformed, brittle.

**Verat.****VERATRUM ALBUM. White Hellebore.****Subjective.**

Burning.  
 Heaviness.  
 Scraping, rasping.  
 Smarting.

**Objective.**

Bleeding, masses of blood in clots, dark blood.  
 Blind.  
 External.  
 Internal.  
 Paralysis of sphincter.

**Concomitant.**

Diseases of lungs and pleura with piles.  
 Sinking feeling during hæmorrhage.  
 Cold perspiration on the forehead, is an indication associated with many other symptoms.

Craving for acid or refreshing things.  
 Violent vomiting, with diarrhœa.  
 Cutting in abdomen as from knives.  
 Icy coldness of face, tip of nose, extremities, and  
   many parts.  
 Sudden sinking of strength.  
 Cramps in calves.  
 Pulse irregular.

Verat. vir.

VERATRUM VIRIDE.

Wolf's bane.

**Subjective.**

Cutting, neuralgic pains in rectum.

**Objective.**

Bluish, dark blue, purple.  
 Inflamed, red.

**Concomitant.**

The tongue has a red stripe down the centre ; lips dry ;  
   face flushed.  
 Fulness of head ; congestive headache.

Zinc.

ZINCUM METALLICUM.

Zinc.

**Subjective.**

Aching, painful.  
 Burning.  
*Crawling.*  
 Heaviness.  
 Itching.  
*Smarting.*  
*Soreness.*  
 Stinging.  
 Tearing.

**Objective.**

Bleeding.  
*External.*  
 Prolapsus.

**Aggravation.**

Stool, during.

**Concomitant.**

A very annoying fidgety feeling in the feet; must move them constantly.

Always feels better every way as soon as the menses begin to flow; it relieves all her sufferings; but they return again soon after it ceases.

Pterygium.

Can only void urine while sitting bent backward.

Spermatorrhœa.

Twitching of various muscles.

Aggravation of many symptoms from drinking a little of the accustomed wine.

**Zing.****ZINGIBER OFFICINALE.****Ginger.****Subjective.**

Aching, painful.

Burning, heat.

Itching.

Soreness.

**Objective.**

Inflammation, redness.

**Concomitant.**

Diarrhœa from drinking impure water. Complaints from eating melons.



# REPERTORY.



## SUBJECTIVE.

---

**Aching** (painful, pain, simple, pressive, ordinary, dull, indescribable, drawing, dragging, undefined. Anguish, Misery, Suffering, Torture, Agony.) *Acon.*, *Æscul.*, *Agar.*, *Aloe*, *Alum*, *Am. cb.*, *Am. mur.*, *Anac.*, *Ant. c.*, *Ars.*, *Bart.*, *Bary. cb.*, *Berb.*, *Brom.*, *Bry.*, *Cactus*, *Calc. c.*, *Calc. ph.*, *Caps.*, *Carb. an.*, *Carb. vg.*, *Carls.*, *Caust.*, *Cham.*, *China*, *Chrom. ac.*, *Cimicif.*, *Coccul.*, *Colch.*, *Collins.*, *Colo.*, *Cycla.*, *Diosc.*, *Euphras.*, *Fer.*, *Graph.*, *Gratiol.*, *Ham.*, *Ign.*, *Iod.*, *Kali bi.*, *Kali cb.*, *Kali nit.*, *Lach.*, *Lyc.*, *Medor.*, *Merc.*, *Mezer.*, *Millef.*, *Mur. ac.*, *Nat. mur.*, *Nit. ac.*, *Nux*, *Pæon*, *Phos.*, *Phos. ac.*, *Physos.*, *Plumb.*, *Podol.*, *Puls.*, *Ratan.*, *Rhus*, *Rumex*, *Sab.*, *Sacch.*, *Secal.*, *Sep.*, *Sil.*, *Stront.*, *Sul.*, *Sul. ac.*, *Sumb.*, *Syph.*, *Therid.*, *Thuj.*, *Zinc*, *Zing*.

**Acrid sensation.** See **Smarting**.

**Acute pain** undefined. See **Cutting**.

**Agony.** See **Aching**.

**Anguish** in anus. See **Aching**.

**Asleep**, as if. See **Tingling**.

**Ball**, sensation as of a. See **Lump**.

**Bearing down.** See **Tenesmus**.

**Beaten**, as if. See **Soreness**.

**Beating.** See **Throbbing**.

**Biting.** See **Smarting**.

**Bloated feeling.** See **Fulness**.

**Boring** (digging, rooting, gnawing.) *Angust*, *Carb. vg.*, *Euphras.*, *Fer.*, *Sil.*

**Bound feeling.** See **Squeezing**.

**Bruised feeling.** See **Soreness**.

**Burning** (heat, warmth, scalding.) *Abrot.*, *Acon.*, *Æscul.*, *Agar.*, *Aloe*, *Alum*, *Am. cb.*, *Am. mur.*, *Ant. c.*, *Apis*, *Ars.*, *Arum.*, *Aur.*, *Bart.*, *Bary. cb.*, *Berb.*, *Bovis*, *Bry.*, *Calc. c.*, *Canth.*, *Caps.*, *Carb. an.*, *Carb. vg.*, *Carls.*, *Caust.*, *Cepa*, *Cham.*, *China*, *Cicut.*, *Clem.*, *Coccul.*,

Colch., Collins, *Con.*, Crot. tig., Cycla., Diosc., Erig., Euphras., Fer., **Graph.**, Gratiol., Ham., Hepar., Iod., Kali bi., **Kali cb.**, Lach., Lactuc., Lil. tig., Lyc., Medor., *Merc. Mur. ac.*, Nat. mur., **Nit. ac.**, Nux., Petrol., Phos., Phos. ac., Physos., Plant., Podo., Psorn., Puls., Ratan., Rhus v., *Sep.*, *Sil.*, Staph., Strout., **Sul.**, *Sul. ac.*, **Thuj.**, Verat., Zinc, Zing.

**Burnt**, as if. See **Smarting**.

**Bursting**, as if. See **Fulness**.

**Chafed sensation**. See **Smarting**.

**Closed**, sensation as if. See **Squeezing**.

**Clutching sensation**. See **Squeezing**.

**Coldness** (ice, sensation as of). Cepa, kali bi., *Sil.*

**Compression**, sensation as of. See **Squeezing**.

**Congested sensation**. See **Fulness**.

**Constriction**, sensation of. See **Squeezing**.

**Continuing long** (the sensation or pain). See **Long-lasting**.

**Contraction**, sensation of. See **Squeezing**.

**Contused feeling**. See **Soreness**.

**Convulsive pain**. See **Cramping**.

**Corrosive sensation**. See **Smarting**.

**Cramping pain**. (Gripping, spasmodic pain, convulsive pain). Calc. c., Colch., Kreos., Lyc., Phos., *Sil.*

**Crawling**. (Creeping, formication), Agar. Aloe, Ambr., Ant. c., Bart., Bary. cb., *Berb.*, Calc. c., Carb. vg., China, Colch., *Crocus*, Gran., Gratiol, *Ign.*, *Kali cb.*, Mur. ac., Nux, *Plat.*, Rhus, Sab., Sacch., Sep., *Sil.*, Spig., *Sul.*, Tart., Tereb., Zinc.

**Creeping**. See **Crawling**.

**Crowding down sensation**. See **Heaviness**.

**Cutting**. (Acute undefined pain. Darting pain, knife thrusts, piercing, penetrating pain, severe pains, sharp pains, shooting pains, lancinating neuralgic pain, long stitches). *Acon.*, *Æscul.*, Aloe, Alum, Arn., *Ars.*, Bary. cb., *Bell.*, Calc. c., Calc. ph., Canth., Carb. an., *Carls.*, Caust., *Crocus*, Diosc., *Graph.*, *Ign.*, Jacar, Kali cb., Lach., Lyc., Mang., Mur. ac., Nat. mur., Nit. ac., *Nux.*, Phos., Puls., Rhus v., Rumex, Sacch., Staph., **Sul.**

**Damp**, sensation as if. See **Moist**.

**Darting**. See **Cutting**.

**Deadness**, sensation of. See **Numbness**.

**Digging**. See **Boring**.



**Discomfort.** (Irritation, uneasy feeling, uncomfortable feeling, harassing sensation, troubled sensation, distress). Diosc., Kali cb., Lyc. Medor, Sumb.

**Distended.** See **Fulness**.

**Distress.** See **Discomfort**.

**Dragging down.** See **Heaviness**.

**Dragging pain.** See **Aching**.

**Drawing pain.** See **Aching**.

**Drawing sensation.** See **Tension**.

**Drawing up sensation.** See **Retracted**.

**Dripping, sensation of.** See **Drops**.

**Drops, sensation as from cold (dripping).** *Can. sat.*

**Dryness.** *Æscul.*, Agar., Calc. c., Carb. vg., Nat. mur., Sumb.

**Dull pain.** See **Aching**.

**Eruptiveness alternating with fulness.** See **Fulness**, etc.

**Eroded sensation.** See **Smarting**.

**Excoriated sensation.** See **Smarting**.

**Expanding sensation.** See **Fulness**.

**Extending from anus to other parts (the sensations and pains).**

“ **Abdomen.** Aloe.

“ **Back.** Aloe, *Carls.*

“ **Bladder.** Mosch.

“ **Chest, side of.** Lach.

“ **Downward.** Ars., Calc. ph., Tart.

“ **Genitals.** Sep., Sil.

“ **Groin left.** Crocus, Kreos., Rumex.

“ **Kidneys.** Lach.

“ **Liver.** Diosc.

“ **Loins.** See **Back**.

“ **Navel.** See **Umbilicus**.

“ **Outward.** See **Downward**.

“ **Penis.** *Carls.*, Petrol.

“ **Rectum.** See **Upward**.

“ **Ribs under.** Sil.

“ **Testicles.** Sil.

“ **Umbilicus.** *Lach.*

“ **Upward.** *Æscul.*, *Ign.*, Lach., Plumb., Sacch., Sel., Sil., Sul., Syphil., Tart., Thuj.

“ **Urethra.** *Coccul.*, China., Meze., Thuj.

**Falling out sensation.** See **Heaviness**.

**Flabbiness**, sensation of. See **Open**.

**Flacidity**, sensation of. See **Open**.

**Foreign body**, sensation as of a blunt. See **Lump**.

**Formication**. See **Crawling**.

**Forming**, sensation as if hæmorrhoids were. **Cham.**,  
**Medor**.

**Friction**, sensation of. See **Scraping**.

**Fulness**, feeling of. (Congested sensation, bursting feeling; pressed asunder, sensation as if; thick feeling; expanding sensation; swollen sensation; tumid sensation; bloated sensation; large, feeling as if; distended sensation). **Acon.**, **Æscul.**, **Agar.**, **Aloe**, **Alum.**, **Apis**, **Ars.**, **Bell.**, **Berb.**, **Bry.**, **Carb. vg.**, **Caust.**, **Cycla.**, **Fer.**, **Ham.**, **Kali bi.**, **Lach.**, **Lil. tig.**, **Medor.**, **Nit. ac.**, **Phos.**, **Plant.**, **Sacch.**, **Sul.**, **Thuj.**

**Fulness alternating with emptiness**. **Thuj.**

**Gnawing**. See **Boring**.

**Grating**. See **Scraping**.

**Gravitation**, sensation of. See **Heaviness**.

**Gripping**. See **Cramping**.

**Hammering**. See **Throbbing**.

**Harassing sensation**. See **Discomfort**.

**Heat**. See **Burning**.

**Heaviness**, sensation of. (Dragging down; protrude, as if to; falling out, as if; prolapsed feeling; weight, gravitation, sensation of; load, sensation of; pressing down sensation; crowding down sensation). **Acon.**, **Æscul.**, **Agar.**, **Aloe**, **Angust.**, **Ant. c.**, **Arn.**, **Bary. cb.**, **Bell.**, **Bry.**, **Cactus.**, **Calc. c.**, **Can. sat.**, **Caust.**, **China**, **Collins.**, **Crot. tig.**, **Cycla.**, **Euphras.**, **Ham.**, **Hepar**, **Kali bi.**, **Kali cb.**, **Kali nit.**, **Lach.**, **Lactuc.**, **Lil. tig.**, **Lobel.**, **Nit. ac.**, **Nux.**, **Phos.**, **Plant.**, **Puls.**, **Rhus**, **Sacch.**, **Sep.**, **Staph.**, **Sul.**, **Sumb.**, **Therid.**, **Thuj.**, **Verat.**, **Zinc.**

**Hidebound**, sensation as if anus was. See **Tension**.

**Hyperæsthesia**. See **Sensitiveness**.

**Ice**, sensation as of. See **Coldness**.

**Irritation**, feeling of. See **Discomfort**.

**Itching**. **Acon.**, **Æscul.**, **Agar.**, **Aloe**, **Alum.**, **Ambr.**, **Am. c.**, **Am. mur.**, **Anac.**, **Ant. c.**, **Arg. nit.**, **Ars.**, **Bary. cb.**, **Bell.**, **Berb.**, **Borax**, **Bovis.**, **Cactus.**, **Calc. c.**, **Calc. ph.**, **Caps.**, **Carb. vg.**, **Caust.**, **Cep.**, **China**, **Cicut.**, **Clem.**, **Colch.**, **Collins.**, **Crocus**, **Crot. tig.**, **Diosc.**, **Elaps.**, **Euphras.**, **Fer.**, **Flu. ac.**, **Gran.**, **Graph.**, **Gratiol.**, **Ham.**, **Ign.**, **Iod.**,

Jacar., Kali cb., Lach., Lil. tig., *Lyc.*, Medor., Merc., *Mur. ac.*, Nat. sul., Nit. ac., Nux., Petrol., Phos., Phos. ac., Plat., Plumb., **Puls.**, Rhus, *Rhus v.*, *Rumex*, Sep., *Sil.*, Straph., **Sul.**, *Sul. ac.*, Syph., *Thuj.*, Zinc., Zing.

**Jerks.** See **Shocks**.

**Knife thrusts.** See **Cutting**.

**Lacerating.** See **Tearing**.

**Lancinating.** See **Cutting**.

**Large, feeling as if.** See **Fulness**.

**Lax feeling.** See **Open**.

**Load, sensation as of a.** See **Heaviness**.

**Long-lasting, pains and sensations.** (Continuing long).

Am. cb., Am. mur., Calc. c., Graph., Ign., Kali cb., *Lyc.*, *Nit. ac.*, Nux., Sep., Stront.

**Lump, sensation as of a.** (Ball, plug, blunt foreign body, mass of stool). Aloe, Anac., Apocy., Bry., *Crot. tig.*, Kali bi., Lach., Lil. tig., Medor., Nat. mur., *Rumex*, Sacch., Sang., *Sep.*, *Sul.*, Therid.

**Misery.** See **Aching**.

**Moist sensation.** (Damp sensation; wet sensation). *Sul. ac.*

**Neuralgic pain.** See **Cutting**.

**Numbness.** (Deadness, sensation of). *Acon.*

**Open, sensation as if.** (Flacidity; lax feeling; relaxation, sensation of; loose sensation; flabbiness, sensation of). Aloe, Apis, Apocy., Coloc., Phos., Sumb. (compare the Objective symptom).

**Painful.** See **Aching**.

**Painless.** Ars., Brom., *Sul.*

**Paralysis, sensation as of.** (Weak feeling; *not* numbness, *q. v.*). Aloe, Kali cb., Petrol.

**Penetrating pains.** See **Cutting**.

**Piercing pain.** See **Cutting**.

**Pinching.** *Sul.*, ac.

**Plug, sensation as of a.** See **Lump**.

**Pressing asunder, sensation of.** See **Fulness**.

**Pressing down sensation.** See **Heaviness**.

**Pressive pain.** See **Aching**.

**Pricking.** See **Sticking**.

**Prickling sensation.** Agar., Bry., Cactus, Colch., Gratiol.

**Prolapsed feeling.** See **Heaviness**.

**Protruding, sensation as if.** See **Heaviness**.

**Pulled up, sensation as if.** See **Retracted**.

**Pulling.** See **Tension**.

**Pulsation.** See **Throbbing**.

**Pungent sensation.** See **Smarting**.

**Rasping sensation.** See **Scraping**.

**Rawness, sensation of.** See **Smarting**.

**Relaxation, sensation of.** See **Open**.

**Rending.** See **Tearing**.

**Retracted, sensation as if.** (Drawing up sensation; pulled up sensation; reversed action of rectum, sensation of). *Bapt., Plumb.*

**Reversed action of rectum, sensation of.** See **Retracted**.

**Rigidity, sensation of.** See **Stiffness**.

**Rooting.** See **Boring**.

**Rubbing sensation.** See **Scraping**.

**Scalded sensation.** See **Smarting**.

**Scalding sensation.** See **Burning**.

**Scraping sensation.** (Grating sensation; rubbing sensation; friction, sensation of; rasping sensation). *Ant. c., Calc. ph., Croc. tig., Gratiol. Nat. mur., Puls., Verat.*

**Screwing sensation.** See **Twisting**.

**Sensitiveness.** (*Hyperæsthesia*). *Bell., Berb., Calc. c., Caust., Gal. ac., Hepar, Lil. tig., Mur. ac., Nux, Ratan., Sil., Syph., Thuj.*

**Severe pain.** See **Cutting**.

**Sharp pain.** See **Cutting**.

**Shocks.** (Jerks, twitching sensation). *Rumex.*

**Shooting pain.** See **Cutting**.

**Smarting sensation.** (Excoriated sensation; burnt sensation; scalded sensation; corrosive sensation; eroded sensation; ulcerated sensation; acrid sensation; chafed sensation; rawness, sensation of; biting; pungent sensation). *Æscul., Æthus., Aloe, Ambr., Am. cb., Am. mur., Ant. c., Apis, Bary. cb., Canth., Carb. vg., Cham., Gal. ac., Gels., Graph., Gratiol, Ham., Ign., Kali cb., Lil. tig. Medor, Merc., Mur. ac., Na. mur., Na. sul., Nux, Petrol, Phos., Phos. ac., Puls., Rhus, Sep., Sul., Sumb., Verat., Zinc.*

**Soreness.** (Contused feeling; beaten, as if; bruised, as if). *Æscul., Agnus., Aloe, Alum., Ambr., Am. bro., Am. mur., Ant. c., Apis, Arn., Ars., Berb., Bry., Calc. ph., Caps., Carb. an., Carb. vg., Caust., Croc. tig., Diosc.,*

Gal. ac., **Graph.**, **Ham.**, Hep., *Ign.*, Kali bi., **Kali cb.**, Lach., Lactuc., Lil. tig., **Lyc.**, **Merc.**, **Mur. ac.**, Nat. mur., Nit. ac., Nux, Phos., Phos. ac., Physos., Psorn., **Puls.**, *Rhus*, Sacch., **Sil.**, *Sul.*, Sul. ac., Syph., Thuj., *Zinc.*, Zing.

**Spasmodic pain.** See **Cramping.**

**Splitting**, sensation as if. Staph.

**Squeezing** sensation. (Constriction, compression; bound feeling; closed, sensation as if; grasped feeling; contraction; clutching). Acon., **Æscul.**, Alum., Bell., Berb., Can. sat., Coccul., Crot. tig., Gal. ac., **Graph.**, *Ign.*, Lach., Mezer., Nat. mur., Nux, Plumb., **Sil.**, Stront., Syph., Therid., Thuj.

**Sticking.** (Pricking). **Æscul.**, Aloe, Ant. c., Cactus., Calc. c., Caust., *Collins*, **Graph.**, Gratiol., Jacar., Kali cb., Lactuc. *Lyc.*, *Nit. ac.*, Nux, Phos., Puls., Rumex, Sul., Sumb.

**Stiffness**, sensation of. (Rigidity, sensation of). Lil. tig., Physos.

**Stinging.** (Stitches). Acon., Agar., Aloe, Alum., Ambr., Am. mur., *Apis*, **Ars.**, Aur., *Bary. cb.*, Bell., Berb., Borax, Bry., Calc. ph., Canth., *Carb. an.*, Carb. vg., Carls., **Caust.**, Cepa, Cham., Chin, Coloc., Con., Crocus, Crot. tig., Cycla., Euphras., *Graph.*, Gratiol., *Ign.*, Kali bi., **Kali cb.**, Kali nit., Kreos., Lach., Lobel., *Lyc.*, Medor., Merc., Mezer., Mosch., *Mur. ac.*, Na. mur., Nit. ac., Nux, Petrol., Phos., Puls., Ruta, *Sil.*, **Sul.**, *Sul. ac.*, Tart., *Thuj.*, Zinc.

**Stitches.** See **Stinging.**

**Stitches**, long. See **Cutting.**

**Straining**, urging for. **Tenesmus.**

**Stretched** feeling. See **Tension.**

**Suffering.** See **Aching.**

**Swollen** sensation. See **Fulness.**

**Tearing.** (Rending, lacerating sensation; torn sensation). Berb., Calc. c., Carls., *Colch.*, Erig., Fer., *Ign.*, *Kali cb.*, Lach., Mezer., Nat. mur., Nit. ac., Nux, Phos. ac., Ruta, Sep., Sul. ac., Thuj., Zinc.

**Tenesmus.** (Straining, urging in rectum for; bearing down in the rectum; urging in the rectum for stool). Abrot., Acon., **Æscul.**, *Æthus.*, **Aloe**, Alum., Ambr., Am. bro., Am. cb., Anac., *Apis*, Arg. nit., Arn., *Ars.*, Arum, *Bary. cb.*, Bell., Berb., Bovis., Bry., Cactus.,

Calc. c., Canth., *Caps.*, Carb. an., Carb. vg., Caust., Cham., Coccul., Colch., Coloc., Con., Croc. tig., Cycla., Diosc., Fer., Gels., Gran., Graph., Gratiol., Ham., *Hepar.*, Hyos., Ign., Iod., Kali bi., Kali cb., Kali nit., Kreos., Lach., Lactuc., *Lil. tig.*, Lyc., *Merc.*, Mere. j. ru., Mezer., Mur. ac., Nat. mur., Nit. ac., Nux., Petrol., Phos., Phos. ac., Plat., Plumb., Podo., Psorn., Puls., Ratan., Rhus, Rumex, Ruta., *Sacch.*, Sang., Sep., *Sil.*, Staph., Stront., *Sul.*, Sumb., Thuj.

**Tension.** (Tightness, pulling, stretched feeling; Hide-bound sensation; drawing sensation). Calc. c., China., Euphras., Graph., Ign., Lyc., Rhus, Sep., *Sil.*

**Thick feeling.** See **Fulness.**

**Thrilling.** See **Tingling.**

**Throbbing.** (Beating, pulsating, hammering, thumping). Aloe, Am. mur., Apis, Berb., Calc. ph., *Caps.*, Caust., Croc. tig., Cycla., Gratiol., Lach., Manc., Nat. mur., *Sacch.*, *Sul.*

**Thumping.** See **Throbbing.**

**Tickling.** (Titillation). Agar., Bell., Carb. vg., Gran., Mur. ac., Petrol., *Sul.* (compare **Itching**).

**Tightness.** See **Tension.**

**Tingling.** (Thrilling, asleep, as if). Ant. c., Carb. vg., China, Kali cb., Plat.

**Titillation.** See **Tickling.**

**Torn off, as if.** See **Tearing.**

**Torture.** See **Aching.**

**Troubled sensation.** See **Discomfort.**

**Twinging.** Kali cb.

**Twisting.** (Screwing, wringing, writhing). Crocus.

**Twitching sensation.** See **Shocks.**

**Ulcerated sensation.** See **Smarting.**

**Uncomfortable sensation.** See **Discomfort.**

**Uneasy feeling.** See **Discomfort.**

**Urging in rectum for stool.** See **Tenesmus.**

**Warmth, sensation of.** See **Burning.**

**Weak feeling.** See **Paralysis, as of.**

**Weight, sensation of.** See **Heaviness.**

**Wet sensation.** See **Moist.**

**Wringing sensation.** See **Twisting.**

**Writhing sensation.** See **Twisting.**

## OBJECTIVE.

---

**Abrasion.** See **Excoriation.**

**Bleeding** (Hæmorrhage, flowing, blood from, open).  
Acet. ac., **Acon.**, **Æscul.**, Alco., Aloe, Alum, Ambr.,  
Am. cb., Am. mur., Anac., *Ant. c.*, Apis, Ars., Aur.,  
Bapt., Bary. cb., *Bell.*, Berb., Borax, Cactus, *Calc. c.*,  
Calc. ph., Canth., Caps., Carb. vg., Carls., Cascar, *Cham.*,  
China, Chrom. ac., Collins, Coloc., Cycla., Diosc.,  
Elaps., Erig., **Fer.**, **Ham.**, Hep., Hydras., Hyos., Ign.,  
*Kali cb.*, Lach., Lobel., Lyc., Manc., Medor., *Merc.*,  
*Millef.*, *Mur ac.*, Nat. mur., Nit. ac., Nux, *Phos.*, Phos.  
ac., Phytol., Plat., Podo., *Puls.*, Ratan., Rhus, Rhus. v.,  
Sab., Sacch., Sep., **Sul.**, Thuj., Verat., Zinc.

**Blind** (Not bleeding). *Æscul.*, *Ant. c.*, Ars., Brom.,  
Caps., Cham., Collins, Fer., Gratiol., Ign., Nit ac, *Nux*,  
Podo., *Puls.*, *Rhus*, *Sul.*, Verat.

**Bloated.** See **Large.**

**Blood from.** See **Bleeding.**

**Bluish** (Livid, purple). *Æscul.*, *Æthus.*, **Carb. vg.**,  
Diosc., Ham., Lach., Manc., **Mur. ac.**, Physos, Verat.  
vir.

**Boils** at or about anus (Furuncles). Calc. ph., Carb.  
an., Caust., Petrol.

**Chafed.** See **Excoriation.**

**Checked.** See **Suppressed.**

**Cherries**, as large as. See **Large.**

**Chronic** (Inveterate, long-standing, indolent, Obstinate,  
permanent). *Æscul.*, Aloe, Am. bro., Calc. c., Carb.  
vg., Caust., Collins, Diosc., Graph., Lach., Lyc., Merc.  
j. ru., *Nit. ac.*, *Nux*, Petrol., Phytol., *Podo.*, **Sul.**

**Closed anus.** See **Constriction.**

**Condylomata.** See **Excrescence.**

**Congested.** See **Inflamed** or **Large.**

**Constriction** of anus (Stricture, contraction, spasm of  
anus or rectum; closed anus; sphincter contracted).

Agar., Aloe, Alum., Angust, Bell., *Borax*, Calc. c. Colch., Crot. tig., Elaps., Flu. ac., Hepar., Ign., Kreos.. Lach., *Lyc.*, Medor., Mezer., *Nat. mur.*, Nit ac., Phos., Plum., Secal., Thuj.

**Constriction** of hæmorrhoids. See **Strangulated**.

**Contraction**. See **Constriction of anus**.

**Cracked**. See **Fissure**.

**Dark**. *Æscul.*, Diosc.

**Denuded**. See **Excoriation**.

**Discharge** (Running of mucus, oozing, matter, moisture, pus, mucous discharge, fluid from). Acon., *Aloe*, Alum, Am. c., Anac., *Ant. c.*, Apis, Ars., Aur., Bapt., *Bary. cb.*, Bell., *Borax*, Bry., Calc. ph., Canth., Caps., *Carb. an.*, Carb. vg., Carls., **Caust.**, China, *Clem.*, Colch., Coloc., Diosc., Fer., *Graph.*, **Hepar**, Ign., *Lach.*, *Lyc.*, Medor., *Merc.*, Millef., *Mur. ac.*, *Nat. mur.*, *Nit. ac.*, Nux, Pæon., Petrol., *Phos.*, Podo., Puls., Ratan., Rhus, Sep., Sil., Sul., Sul. ac., Syphil., Thuj.

**Distended**. See **Large**.

**Drawn up**. See **Retraction**.

**Dryness**. *Graph.*

**Eczema**. See **Eruption**.

**Eruption** at anus (Eczema, exanthem, pustules, pimples, scurf, Herpes). Agar., Am. cb., Am. mur., *Ant. c.*, Berb., Calc. c., Carb. vg., *Caust.*, *Hepar*, Ign., Kali cb., *Lyc.*, Medor., *Merc.*, *Nat. mur.*, *Nat. sul.*, Nit. ac., *Petrol.*, Sep., Staph., Sul.

**Exanthem**. See **Eruption**.

**Excoriation** (Abraded, denuded, rawness, chafed). Am. cb., Ars., *Bary. cb.*, Calc. c., Carb. an., Gratiol., Hepar, Hydras., Kali cb., *Merc.*, *Nat. mur.*, Nit. ac., Plant., Podo., Sul.

**Excresence** (Warts, condylomata, Fungus, Sycosis). Euphras., Jacar., *Nat. sul.*, *Nit. ac.*, Petrol., Sab., Staph., Thuj.

**Expanded**. See **Large**.

**External** (Protruding). Abroe., *Æscul.*, *Aloe.*, Alum, Am. cb., Anac., *Angus*, *Ant. c.*, Apis, Apocy., Arn., Ars., Aur., Bart., *Bary. cb.*, Berb., *Brom.*, Bry., Cactus, Calc. c., Calc. ph., Caps., Carb. an., Carb. vg., *Caust.*, Cepa., Chrom. ac., Collins, Coloc., Diosc., *Fer.*, Flu. ac., *Gran.*, *Graph.*, Gratiol., Ham., *Hepar*, Kali cb., Kali nit., Lach., *Lyc.*, Medor., *Merc.*, **Mur. ac.**, *Nat. mur.*,



*Nit. ac.*, *Nux*, *Phos.*, *Phos. ac.*, *Physos.*, *Plat.*, ***Puls.***,  
*Ratan.*, *Rumex*, *Rhus*, *Sep.*, *Sil.*, ***Sul.***, *Sul. ac.*, *Thuj.*,  
*Verat.*, *Zinc.*

**Falling.** See **Prolapsus**.

**Festering.** See **Suppurating**.

**Fetid** (Offensive, smelling bad, foul smelling, putrid, stinking). *Carb. vg.*, *Manc.*, *Medor*.

**Fissure** (Rhagades, cracked). *Æscul.*, *Agnus.*, *Ant. c.*,  
*Arg. met.*, *Ars.*, *Arum.*, *Carb. an.*, *Caust.*, *Cepa.*, *Cham.*,  
*Graph.*, *Gratiol.*, *Ign.*, *Lach.*, *Medor.*, *Merc. j. ru.*, *Mezer.*,  
*Nat. mur.*, *Nit. ac.*, *Nux*, *Pæon.*, *Petrol.*, *Phos.*, *Phytol.*,  
*Plumb.*, *Ratan.*, *Rhus.*, *Sep.*, *Sil.*, *Sul.*, *Syph.*, *Thuj.*

**Fistula.** *Aloe*, *Alum.*, *Ant. c.*, *Aur.*, *Bell.*, ***Berb.***, *Bry.*,  
*Calc. c.*, *Calc. ph.*, *Carb. vg.*, *Caust.*, *Hepar*, *Hydras.*,  
*Lach.*, *Lyc.*, ***Nit. ac.***, *Petrol.*, *Puls.*, *Sep.*, ***Sil.***, *Sul.*, *Thuj.*

**Flowing.** See **Bleeding**.

**Fluid from.** See **Discharge**.

**Foul smelling.** See **Fetid**.

**Fungus.** See **Excrescence**.

**Furuncles.** See **Boils**.

**Gathering.** See **Suppurating**.

**Ground-nuts**, large as. See **Large**.

**Hæmorrhage from.** See **Bleeding**.

**Hanging.** See **Pendulous**.

**Hard.** See **Indurated**.

**Herpes.** See **Eruption**.

**Incarcerated.** See **Strangulated**.

**Indolent.** See **Chronic**.

**Indurated** (Hard). *Am. bro.*, ***Caust.***, *Physos.*, *Sep.*

**Inflamed** (Redness, irritated, congested). *Acon.*, *Agar.*,  
*Apocy.*, *Arg. nit.*, *Ars.*, *Cham.*, *Hepar*, ***Kali cb.***, *Podo.*,  
*Merc.*, *Mur. ac.*, *Sacch.*, *Sil.*, *Sul.*, *Verat. vir.*, *Zing.*

**Internal.** *Alum.*, *Arn.*, ***Ars.***, *Borax*, ***Brom.***, *Calc. c.*, *Caps.*,  
*Caust.*, ***Cham.***, *Chrom. ac.*, *Cimicif.*, ***Colo.***, *Hepar.*, *Ign.*,  
*Kali cb.*, *Lyc.*, *Nux*, *Phos.*, *Phos. ac.*, ***Podo.***, ***Puls.***,  
*Rhus*, *Sep.*, *Stront.*, *Sul.*, *Verat.*

**Inveterate.** See **Chronic**.

**Irreducible.** See **Strangulated**.

**Irritated.** See **Inflamed**.

**Large** (Congested, expanded, bloated, tumefied, thick, swollen, distended, cherries, size of; ground-nuts, as large as). *Æscul.*, *Agar.*, ***Aloe.***, *Alum.*, *Angust.*, *Arn.*,  
*Ars.*, *Bry.*, *Cactus.*, *Calc. c.*, *Caps.*, ***Carb. an.***, *Carb. vg.*,

**Caust.**, Clem., *Coloc.*, *Cycla.*, Diosc., Euphras., Gal. ac., Graph., Ham., **Kali cb.**, Kali nit., Lach., Lyc., Manc., Merc., *Mur. ac.*, Nat. mur., **Nit. ac.**, Podo., Puls., Sacch. Sep., Sul., Sul. ac., Thuj.

**Livid.** See **Bluish.**

**Long.** See **Pendulous.**

**Long-standing.** See **Chronic.**

**Loose**, anus seems. See **Open.**

**Loss of power.** See **Paralysis.**

**Matter.** See **Discharge.**

**Moisture.** See **Discharge.**

**Mucus.** See **Discharge.**

**Non-bleeding.** See **Blind.**

**Obstinate.** See **Chronic.**

**Offensive smelling.** See **Fetid.**

**Open anus** (Loose, anus seems relaxed, sphincter relaxed). *Phos.*, *Secale* (compare the subjective symptom).

**Open hæmorrhoids.** See **Bleeding.**

**Oozing.** See **Discharge.**

**Paralysis** (Loss of power, sphincter weak, weakness of sphincter). Aloe, Alum., Arn., Ars., Bell., Caust., China, Collins, Fer., Gels., Graph., *Hyos.*, *Mur. ac.*, Nat. mur., Phos., Phos. ac., Puls., Rhus, Secal., Sul., Verat.

**Pendulous** (Hanging, long). Nit. ac.

**Permanent.** See **Chronic.**

**Perspiration.** See **Sweat.**

**Pimples.** See **Eruption.**

**Prolapsus** (Falling of rectum or anus). *Æscul.*, Ant. c., Apis, Apocy., Ars., Bell., *Calc. c.*, Canth., Cicuta., Colch., Crot. tig., Diosc., Elaps., Fer., Flu. ac., Gels., Graph., Gran., **Ign.**, Kali bi., Kali nit., Lach., Lyc., Medor., Merc., Mezer., **Mur. ac.**, Nat. mur., Nit. ac., Plumb., Podo., Rhus, *Ruta.*, Sep., Sul., *Syph.*, Therid., Zinc.

**Protruding.** See **External.**

**Purple.** See **Bluish.**

**Pus.** See **Discharge.**

**Pustules.** See **Eruption.**

**Putrid smelling.** See **Fetid.**

**Rawness.** See **Excoriated.**

**Redness.** See **Inflamed.**

- Reduce, easy to. See **Replaced**.  
 Reduce, impossible to. See **Strangulated**.  
 Relaxed. See **Open**.  
 Replaced easily (Reduce, easy to). Ign.  
 Retraction of anus (Drawn up, or in). Bry., Kali bi.,  
 Plumb.  
 Rhagades. See **Fissure**.  
 Running of mucus. See **Discharge**.  
 Scurf. See **Eruption**.  
 Small. Apis, Rhus v.  
 Smelling bad. See **Fetid**.  
 Soft. Aloe, Brom.  
 Spasm of anus or rectum. See **Constriction**.  
 Sphincter contracted. See **Constriction**.  
 Sphincter relaxed. See **Open anus**.  
 Sphincter weak. See **Paralysis**.  
 Stinking. See **Fetid**.  
 Stool, hæmorrhoids preventing. Caust., Sul. ac.  
 Strangulated (Incarcerated, constricted, irreducible,  
 reduce, impossible to). Aloe, Ars., Bart., Bell., Lach.,  
 Sil., Sul.  
 Stricture. See **Constriction** of anus.  
 Suppressed, having been. (Checked). Ars., Calc. c.,  
 Caps., Carb. vg., Nux, Phos., Puls., Sul.  
 Suppurating (Gathering, festering). Carb. vg., Hepar,  
 Merc., Sil.  
 Sweat of anus (Perspiration). Agar., Alum., Carb. vg.,  
 Thuj.  
 Swollen anus. Apis, Bell., Graph., Hepar., Lach., Me-  
 dor., Mur. ac., Nux, Pæon., Physos., Sul.  
 Swollen hæmorrhoids. See **Large**.  
 Sycosis. See **Excrescence**.  
 Thick. See **Large**.  
 Tumefied. See **Large**.  
 Ulcerated. Cham., Hepar., Kali cb., Nit. ac., Pæon.,  
 Phos., Sil., Syph.  
 Warts. See **Excrescences**.  
 Weakness of sphincter. See **Paralysis**.

## AGGRAVATION AND AMELIORATION.

---

- Afternoon, < Aloe, Bapt., Calc. c., Cycl., Euphras.,  
    *Plant., Sul.*  
    " nap. See **Sleep**, afternoon.  
    " sitting. See **Sitting**, afternoon.  
    " walking. See **Walking**, afternoon.  
Air, open, after being in. < Ign.  
Alcoholic drinks. < Ars., Carb. vg., Lach., Nux, Rhus,  
    Sul.  
Ale. See **Malt liquors**.  
A.M., 6.30 o'clock. < Diosc.  
    " 8.30 " < Diosc.  
Anus, retracting. See **Retracting anus**.  
Bath, during a. < Bart.  
    " " cold sitz. > Euphras.  
Bathing (Local). < Brom.  
    " cold. < Brom.  
    " " > Aloe, Apis, Euphras.  
    " saliva, with. See **Saliva**, wetting with.  
    " warm. > Ars., Mur. ac.  
    " " < Brom.  
Bed, evening. See **Evening bed**.  
    " morning. See **Morning bed**.  
Beer. See **Malt liquors**.  
Bleeding, after. < Alum., Caps., Kali cb.  
    " before. < Ham.  
    " copiously. > Aloe.  
    " suppressed. < Calc. c., Caps., Sul.  
Brandy. See **Alcoholic drinks**.  
Breathing. < Crocus, Sul.  
Change of life. See **Climacteric**.  
Checked (etc.). See **Suppressed**.  
Child-bed. See **Parturition**.  
Climacteric period. < Lach.

Cold applications. See **Bathing, cold.**

“ **bathing.** See **Bathing, cold.**

“ **from having a.** < **Acon., Rhus.**

“ **sitz bath.** See **Bath, cold sitz.**

Confinement. See **Parturition.**

Constipation, difficult stool. See **Difficult stool.**

“ **dry stool.** See **Stool dry.**

“ **hard stool.** See **Stool hard.**

“ **straining.** See **Stool, straining at.**

Cough. < *Ign.*, **Kali cb.**, *Lach.*, *Nit. ac.*

Day. < *Aloe*, *Ars.*

Diarrhœa, after. < *Nit. ac.*, *Sul.*

“ **before.** < *Ratan.*

“ **during.** < *Apis.*, *Ars.*, **Brom.**, *Ign.*, **Merc.**, *Mur.*  
ac., *Ratan.*, *Sul.*

Dinner. See **Eating dinner.**

Drawing in anus. See **Retracting anus.**

Drinking, after. < *Caps.*

“ **alcoholic liquors.** See **Alcoholic drinks.**

“ **Malt liquors.** See **Malt liquors.**

Drunkards. See **Alcoholic drinks or Malt liquors.**

Dysmenorrhœa. See **Menses difficult.**

Early morning. See **Morning, early.**

Eating, after. < *Aloe*, *Nux.*

“ **dinner, after.** < *Sep.*

“ **during.** < *Fer.*

Emotion. See **Mental excitement.**

Evening. < *Aloe*, *Alum.*, *Ant. c.*, *Bry.*, *Calc. ph.*, *Carb. an.*,  
*Diosc.*, *Iod.*, *Mur. ac.*, *Nat. mur.*, *Plat.*, **Puls.**,  
*Rhus v.*, *Sul.*, **Thuj.**

“ **bed (in)** < *Calc. c.*, *Lyc.*

“ **stool.** See **Stool, evening.**

“ **toward.** < *Arum.*, *Collins*, *Puls.*

Excitement, mental. See **Mental excitement.**

Exertion. < *Podo.*

“ **mental.** See **Mental exertion.**

Flatus, emission of, after. < *Aloe.*

“ “ “ “ > *Canth.*

“ “ “ **during.** < *Aloe*, *Diosc.*, *Phos.*

Forenoon. < **Thuj.**

“ **sitting.** See **Sitting, forenoon.**

Fresh air. See **Air, open.**

Friction. See **Rubbing or touch.**

**Hæmorrhage.** See **Bleeding**.

**Hard stool.** See **Stool, hard**.

**Heat.** > **Arsen.**

“ **bathing (of).** See **Bathing, warm**.

**Hour.** See **A.M.** or **P.M.**

**Inspiration.** See **Breathing**.

**Kneeling.** > **Æscul.**

**Labor.** See **Parturition** or **Exertion**.

**Leucorrhœa suppressed.** < **Am. mur.**

**Lifting, after.** < **Rhus.**

**Liquors, alcoholic.** See **Alcoholic drinks**.

“ **malt.** See **Malt liquors**.

**Lying.** < **Phos. Phos. ac., Sul.**

“ > **Am. cb.**

“ **back (on the).** < **Am. cb.**

**Malt liquors.** < **Aloe, Bry., Fer., Nux, Rhus, Sul.**

**Meals.** See **Eating**.

**Menses after.** < **Coccul.**

“ **difficult.** < **Coccul.**

“ **during.** < **Aloe, Am. cb., Graph., Lach., Phos., Puls.**

“ **during.** > **Thuj.**

“ **painful.** See **Menses difficult**.

**Mental excitement.** < **Arg. nit., Gels., Hyos., Nux, Sumb.**

“ **exertion.** < **Nux.**

**Micturition, after.** < **Merc.**

“ **during.** < **Aloe, Bary. cb., Canth., Kali cb., Merc., Mur. ac., Nit. ac.**

**Midnight, after.** < **Ars.**

**Milk, after drinking.** < **Sep.**

**Morning.** < **Aloe, Diosc., mur. ac., Sab., Sul., Sumb., Thuj.**

“ > **Alum., Collins.**

“ **bed (before rising from).** < **Graph., Rumex.**

“ **early.** < **Diosc.**

“ **rising, after.** < **Æthus.**

“ “ **before.** See **Morning bed**.

“ **stool.** See **Stool, morning**.

“ **wake from sleep, causing him to.** **Aloe, Kali bi., Petrol., Sul.**

“ **waking (on).** < **Aloe.**

**Motion.** < **Apis, Cab. an., Euphras., Merc., Mur. ac., Nat. mur., Puls.**

**Motion, walking.** See **Walking**.

**Nap.** See **Sleep**.

**Night.** < *Æscul.*, Aloe, Am. cb., Ant. c., Ars., Carb. an., Carb. vg., Collins, Euphras., Fer., Graph., *Merc.*, Physos., Rhus, Sacch., Sul.

“ rest. See **Sleep**.

“ stool. See **Stool, night**.

“ toward. See **Evening**.

“ undressing. < Sacch.

**Noon.** < Diosc.

“ nap, sleep, noon.

“ sitting. See **Sitting, noon**.

**Open air.** See **Air, open**.

**Out doors.** See **Air, open**.

**Parturition.** < Ign., Kali cb., Lil. tig., *Mur. ac.*

**P.M., 2 o'clock.** < *Diosc.*

“ 3 “ < Euphras.

“ 5 “ < Diosc.

“ 6 “ < Euphras.

**Pregnancy, during.** < Collins.

**Pressure, hard.** > Kali cb.

**Purgatives, from having used.** < *Nux.*

**Reflecting.** See **Mental exertion**.

**Respiration.** See **Breathing**.

**Rest, during.** < Aloe, Rhus.

“ nights. See **Sleep**.

**Retiring.** See **Evening, bed**.

**Retracting anus.** < Aloe, *Sul.*

**Rheumatism abates, as the.** < Abrot.

**Riding.** < *Mur. ac.*, Psorn. (compare **Touch**).

“ > Kali cb.

**Rising.** < *Phos.*

“ from lying. Aloe.

**Rubbing.** > Cactus, Sacch.

“ after. < Cicut.

**Saliva, wetting with.** > Brom.

**Sedentary habits.** < *Nux.*

**Sitting.** < Am. mur., Ars., *Berb.*, Calc. c., Can. sat., Caust., Cycla., Euphras., Graph., Ign., Kali bi., *Lyc.*, *Phos.*, Phos. ac., Physos., Ruta., Staph., *Sul.*, Therid., Thuj. (compare **Touch**).

“ > Ars., Lach.

“ after. < Sul.

Sitting, afternoon. < Coccul.

" forenoon. < Sul.

" much. See **Sedentary habits.**

" noon. < Sul.

Sitz bath, during cold. See **Bath, during cold sitz.**

Sleep, after. < Lach.

" " > Alum.

" afternoon. < Cycla.

" during. < Arum.

" noon, after. < Sul.

Sneezing. < Lach.

Standing. < Caust., Ign., Nit. ac.

Stepping. See **Walking.**

" wide. See **Walking wide step.**

Stool, after. < *Æscul.*, **Aloe**, Alum., *Am. cb.*, *Am. mur.*,  
Apocy., *Ars.*, Bary. cb., Bell., *Berb.*, Bovis., *Brom.*,  
Cactus, Calc. c., Calc. ph., Canth., *Carb. vg.*, Carls.,  
Cascar., Caust., Cicuta., Coccul., Crot. tig., Diosc.,  
Elaps., Gal. ac., *Graph.*, Gratiol., **Ign.**, Kali bi., Kali  
cb., *Lach.*, Lil. tig., Lobel., Lyc., *Merc.*, Merc. j. ru.,  
Mezer., **Mur. ac.**, Nat. mur., *Nit. ac.*, Nux, Pæon.,  
Phos., *Podo.*, *Ratan.*, *Rhus*, *Rhus v.*, *Sep.*, Staph.,  
Stront., **Sul.**, Sumb.

" after. > Canth., **Caust.**, Clem.

" before. < *Am. cb.*, *Berb.*, Iod., Kali cb., *Lach.*,  
Lil. tig., *Merc.*, Nat. sul., *Podo.*, Ruta., *Sul.*

" constipated. See **Constipation**; stool diffi-  
cult; stool dry; stool hard; stool insuffi-  
cient; stool large; or stool straining.

" diarrhœic. See **Diarrhœa**, or stool pasty.

" difficult. < Kali cb., Psorn. (compare **Stool**  
**straining**).

" dry, after. < *Sil.*

" during. < *Aloe*, Alum., Ambr., *Am. cb.*, *Am. mur.*,  
Anac., Angus., Ant. c., **Ars.**, Arum., Aur., Bart.,  
Bary. cb., Bell., *Berb.*, *Brom.*, *Bry.*, **Calc. c.**, Calc.  
ph., Canth., Caps., Carb. an., Carb. vg., Cascar.,  
Cham., Chem., Colch., Coloc., Con., Crot. tig.,  
Dios., Fer., Flu. ac., **Graph.**, Gratiol., Hepar., *Ign.*,  
Kali bi., *Kali cb.*, Kreos., *Lach.*, Lyc., Medor.,  
*Merc.*, Merc. j. ru., Mezer., **Mur. ac.**, Nat. mur.,  
*Nit. ac.*, Nux, Pæon., Phos., *Phos. ac.*, Plant.,  
Plat., *Podo.*, Puls., *Ratan.*, *Rhus*, *Sep.*, **Sil.**, *Sul.*,  
*Sul. ac.*, Sumb., Thuj., Zinc.



**Stool, evening, after.** < Nux.

“ “ **during.** < Sul.

“ **hard, after.** < *Aloe*, Collins., *Nat. mur.*, *Sul.*

“ **insufficient, after.** < Sul.

“ **large.** < Kali cb.

“ **loose.** See **Diarrhœa.**

“ **morning after.** < Kali cb., Sul.

“ **night after.** < Sul. ac.

“ “ **during.** < Sul. ac.

“ **pasty, after.** < *Bry.*

“ **straining at.** < *Æscul.*, Lach., Medor., Plumb.,  
Ruta., Sil.

**Stormy weather.** See **Weather, stormy.**

**Strain, from a.** < Rhus.

**Straining at stool.** See **Stool, straining at.**

**Sulphur, suppressed by.** See **Suppressed, sulphur.**

**Suppressed, after being.** < Ars., *Calc c.*, Carb. vg., Nux,  
Phos., Puls., Sul.

“ **bleeding.** See **Bleeding, suppressed.**

“ **leucorrhœa.** See **Leucorrhœa, sup-  
pressed.**

“ **metrorrhagia.** < Acet. ac.

“ **sulphur (by)** < *Calc. c.*, Sul.

“ **sweat.** < Acon.

**Tenesmus.** See **Stool, straining at.**

**Thinking.** See **Mental exertion.**

“ **of the ailment.** < Caust.

**Touch.** < Abrot., Bell., Berb., *Calc. c.*, Carb. an., Caust.,  
Gal. ac., Graph., *Hepar.*, Lil. tig., Lyc., Merc.,  
Mur. ac., Nit. ac., Nux, Phos. ac., Ratan., Sep.,  
Sil., Sul., Sul. ac., Syph., Thuj. (compare **Sitting**  
and **Wiping**).

“ **wiping.** See **Wiping.**

**Undressing at night.** See **Night, undressing.**

**Urinating.** See **Micturating.**

**Walking.** < Agnus., Alum., Ars., Bart., Brom., *Calc. c.*,  
Carb. an., Caust., Cycla., Kali cb., Mur. ac.,  
Nit. ac., Phos., Physos., Rumex, Sep., Sil.,  
Sul., Sumb., Therid., Thuj.

“ > Ign.

“ **after.** < *Æscul.*

“ **afternoon.** < Thuj.

“ **wide step.** < Graph.

Warm bathing. See Bathing, warm.

“ water. See Bathing, warm.

“ weather. See Weather, warm.

Washing. See Bathing.

Weather, stormy. < Psorn.

“ warm. < Nit. ac.

Wet, after getting. < Rhus.

Wetting. See Bathing.

“ Saliva (with). See Saliva.

Whiskey. See Alcoholic drinks.

Wide step. Walking wide step.

Wind, passing. See Flatus.

Wine. See Alcoholic drinks.

Wiping after stool. < Aloe, Graph., Mur. ac., Puls

Work. See Exertion.

# INDEX.

PREFACE, . . . . .	iii
THE REMEDIES AND THEIR INDICATIONS, . . . . .	7
Abrot., . . . . .	7
Acet. ac, . . . . .	8
Acon., . . . . .	8
Æscul., . . . . .	9
Æthus., . . . . .	10
Agar., . . . . .	10
Agnus., . . . . .	11
Alco, . . . . .	12
Aloe, . . . . .	12
Alum., . . . . .	14
Ambr., . . . . .	15
Am. bro., . . . . .	16
Am. cb., . . . . .	16
Am. mur., . . . . .	17
Anac., . . . . .	18
Angust., . . . . .	19
Ant. c., . . . . .	19
Apis, . . . . .	20
Apocy., . . . . .	21
Arg. nit., . . . . .	22
Arn., . . . . .	22
Ars., . . . . .	23
Arum., . . . . .	24
Aur., . . . . .	25
Bapt., . . . . .	25
Bart., . . . . .	26
Bary. cb., . . . . .	26
Bell., . . . . .	27
Berb., . . . . .	28
Borax, . . . . .	29
Bovis., . . . . .	30
Brom., . . . . .	30
Bry., . . . . .	31
Cactus, . . . . .	32
Calc. c., . . . . .	33
Calc. phos., . . . . .	34
Can. sat., . . . . .	35
Canth., . . . . .	36
Caps., . . . . .	36
Carb. an., . . . . .	37
Carb. vg., . . . . .	38
Carls., . . . . .	40
Cascar., . . . . .	40
Caust., . . . . .	41
Cepa, . . . . .	43
Cham., . . . . .	43
China, . . . . .	44
Chrom. ac., . . . . .	45
Cicuta, . . . . .	45
Cimicif., . . . . .	45
Clem., . . . . .	46
Coccul., . . . . .	46
Colch., . . . . .	47
Collins., . . . . .	48
Coloc., . . . . .	49
Con., . . . . .	50
Crocus, . . . . .	50
Crot. tig., . . . . .	51
Cycla., . . . . .	51
Diosc., . . . . .	52
Elaps., . . . . .	53
Erig., . . . . .	54
Euphras., . . . . .	54
Fer., . . . . .	55
Flu. ac., . . . . .	56
Gal. ac., . . . . .	56
Gels., . . . . .	57
Gran., . . . . .	57
Graph., . . . . .	58
Gratiol., . . . . .	59
Ham., . . . . .	60
Hepar, . . . . .	61
Hydras., . . . . .	62
Hyos., . . . . .	62
Ign., . . . . .	63
Iod., . . . . .	64
Jacar., . . . . .	65
Kali bi., . . . . .	65

Kali cb., . . . . .	66	Podo., . . . . .	93
Kali nit., . . . . .	68	Psorn., . . . . .	93
Kreos., . . . . .	69	Puls., . . . . .	94
Lach., . . . . .	69	Ratan., . . . . .	96
Lactuc., . . . . .	71	Rhus, . . . . .	97
Lil. tig., . . . . .	71	Rhus v., . . . . .	98
Lobel., . . . . .	72	Rumex, . . . . .	98
Lyc., . . . . .	73	Ruta, . . . . .	99
Manc., . . . . .	74	Sab., . . . . .	100
Medor., . . . . .	75	Sacch., . . . . .	100
Merc., . . . . .	76	Sang., . . . . .	101
Merc. j. rub., . . . . .	77	Secal., . . . . .	102
Mezer., . . . . .	78	Sep., . . . . .	102
Millef., . . . . .	78	Sil., . . . . .	104
Mosch., . . . . .	79	Staph., . . . . .	106
Mur. ac., . . . . .	79	Stront., . . . . .	106
Nat. mur., . . . . .	80	Sul., . . . . .	107
Nat. sul., . . . . .	82	Sul. ac., . . . . .	109
Nit. ac., . . . . .	82	Sumb., . . . . .	110
Nux., . . . . .	84	Syphil., . . . . .	111
Pæon., . . . . .	86	Tart., . . . . .	112
Petrol., . . . . .	86	Tereb., . . . . .	112
Phos., . . . . .	87	Therid., . . . . .	113
Phos. ac., . . . . .	89	Thuj., . . . . .	114
Physos., . . . . .	90	Verat., . . . . .	115
Phytol., . . . . .	90	Verat. vir., . . . . .	116
Plant., . . . . .	91	Zinc, . . . . .	116
Plat., . . . . .	91	Zing, . . . . .	117
Plumb., . . . . .	92		
REPERTORY, . . . . .			119
Subjective symptoms, . . . . .			121
Objective symptoms, . . . . .			129
Aggravation and Amelioration, . . . . .			134











rx  
343  
693  
1872

